

CELEBRATING 65 YEARS
OF SHARED ADVENTURES



RAPIDO



VANS | COMPACT LOW-PROFILE | COMPACT A-CLASS | LOW-PROFILE | A-CLASS

SERIE VANS

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



V55



V62

VEHICLE DIMENSIONS (M)		
Overall length	5,99	6,36
Overall width	2,05	2,05
Overall height [A]	2,59	2,59
SEATS		
Registered (driving) seats	4	4
People dining space	4	5
Berths	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	3,5 T / 4,25 T	3,5 T / 4,25 T
Permissible Gross Combined Weight (GCW)	LIGHT: 6 T HEAVY: 6,5 T	LIGHT: 6 T HEAVY: 6,5 T
Mass in Running Order (MIRO) (kg)	3040	3020
Payload (kg)	460	480
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Bodywork type	L3H2	L4H2
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Kerb-to-kerb turning circle (m)	14,28	14,28
STORAGE AREA/GARAGE (CM)		
Width	87	106
Length	128	120/82
Height	67	71
Heated	•	•
Storage area with protective lining and stowage hooks	•	•
HEATING		
Type of heating	Truma Combi 4 CP PLUS	Truma Combi 4 CP PLUS
BED SIZE (MM)		
Rear bed	1950 x 1320	1980 x 1250
Extra dinette bed	1850 x 970/635	1850 x 970/685
AUTONOMY (LITRES)		
Fresh water [B]	10/110	10/110
Waste water	85	85
Type of refrigerator	Compression	Compression
Refrigerator volume	149	146
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

* The first chassis in the 2026 Collection meet Euro 6EA then 6EBis standards.

[A] Overall height = +45 mm with 16" wheels

[B] Fresh water tank can be filled up to 110 L, which results in a lower payload.

• = Standard, - = Not available



V65XL



V68

VEHICLE DIMENSIONS (M)		
Overall length	6,36	6,36
Overall width	2,05	2,05
Overall height	2,88	2,59 [A]
SEATS		
Registered (driving) seats	4	4
People dining space	4	4
Berths	2+2	2+1
WEIGHT		
Gross vehicle weight (GVW)	3,5 T / 4,25 T	3,5 T / 4,25 T
Permissible Gross Combined Weight (GCW)	LIGHT: 6 T HEAVY: 6,5 T	LIGHT: 6 T HEAVY: 6,5 T
Mass in Running Order (MIRO) (kg)	3050	3025
Payload (kg)	450	475
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Bodywork type	L4H3	L4H2
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Kerb-to-kerb turning circle (m)	14,28	14,28
STORAGE AREA/GARAGE (CM)		
Width	87	133
Length	130	103/66
Height	67	67
Heated	•	•
Storage area with protective lining and stowage hooks	•	•
HEATING		
Type of heating	Truma Combi 4 CP PLUS	Truma Combi 4 CP PLUS
BED SIZE (MM)		
Rear bed	1950 x 1370	1950 x 800 + 1930 x 800
King size bed extension	-	1920 x 1300
Extra dinette bed	-	1850 x 970/725
Drop-down bed	1300 x 1900/1800	-
AUTONOMY (LITRES)		
Fresh water [B]	10/110	10/110
Waste water	85	85
Type of refrigerator	Compression	Compression
Refrigerator volume	149	146
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



S E R I E V A N S

E Q U I P M E N T A N D C O M F O R T

V A N S

		V55	V62	V65XL	V68
CONSTRUCTION		WEIGHT (KG)			
XHP Xtrem Hybrid Protect insulation = polyurethane and polyether compound with aluminium beams		•	•	•	•
Floor with Styrofoam® insulation and polyester underbody		•	•	•	•
Moulded internal bodywork walls		•	•	•	•
BODYWORK AND OPENINGS					
White bodywork paint		•	O	•	•
Arlense Grey metallic bodywork paint		O	-	O	O
Iron Grey bodywork paint		-	•	-	-
Lanzarote Grey bodywork paint		O	-	O	O
Front bumper painted in bodywork colour + Black skid plate + Front fog lights		P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Side door with flyscreen		P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Remote control locking of the cab and living area doors		•	•	•	•
Electric entry step		•	•	•	•
Living area windows with polyurethane frames		•	•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•	•
Greater headroom in driver's cab		•	•	•	•
SKYVIEW panoramic roof	20	O	O	-	O
Large living room skylight with flyscreen and blinds		•	•	-	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•
Left rear door window		•	-	•	O
Right rear door window		•	O	•	O
Extreme cold insulation kit for rear doors	2	O	O	O	O
Side door gutter with inbuilt LED lighting		•	•	•	•
HEATING					
TRUMA Combi 4 heating with CP PLUS control panel		•	•	•	•
TRUMA Combi 4 DIESEL heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	O	O	O	O
TRUMA Combi 4 EH DIESEL (diesel + electricity) heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	O	O	O	O
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	O	O	O	O
TRUMA Combi 6 EH DIESEL (diesel + electricity) heating with altitude kit and CP PLUS heating control panel		O	O	O	O
Floor heating in living area (230 V)		•	•	O	•
SKYVIEW heating duct (requires Skyview)		• (SKYVIEW)	• (SKYVIEW)	-	• (SKYVIEW)
Heated waste water tank		O	•	O	O
STYLE					
NACARAT or LUCEO furniture		•	•	•	•
ALICANTE fabric upholstery		•	-	•	•
TEP* upholstery: MILAN		O	-	O	O
TEP* upholstery: 65th anniversary PALMA (NACARAT furniture)		-	•	-	-
TEP* upholstery: 65th anniversary NOUMEA (LUCEO furniture)		-	•	-	-
BILBAO fabric upholstery	5	O	O	O	O
65th anniversary upholstery, accessories and decor		-	•	-	-
Laminate surface on table and worktop		•	•	•	•
Interior lighting		LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED
LIVING ROOM					
Living room window style with backlit Plexiglas		•	•	•	•
Living room converts to occasional berth		•	•	-	•
Living room table with swivel extension		•	•	-	•
12 V/HDMI wiring for TV		•	•	•	•
TV mount		•	•	•	•
Day/night partition		•	-	•	•
Height-adjustable headrests		•	•	•	•
Depth-adjustable bench seat		•	•	•	•
Isofix attachment system		•	•	•	•
Storage chest under dinette table		•	•	•	•
Drop-down bed with slat base and BULTEX® mattress		-	-	•	-
TOUCH spotlights with dimmer above drop-down bed		-	-	•	-
KITCHEN					
Worktop extension		•	•	•	•
Spice rack		•	•	•	•
Self-closing drawers with electric central locking and 'unlocked drawer' alarm when engine starts		•	•	•	•
Storage under the kitchen unit with drawers/pot drawers featuring robust PVC internal finish		•	•	•	•
Cutlery tray		•	•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•	•
2-hob stainless steel stove top with glass cover		•	•	•	•
Generous smooth stainless steel sink with glossy black glass cover		•	•	•	•
Wire bottle storage basket		-	•	•	•
Backlit kitchen unit		•	•	•	•
Refrigerator with freezer		•	•	•	•
18-litre oven (no grill)	13	-	O / • (P RHD)	-	-
20-litre oven (with grill)	15	O / • (P RHD)	-	O / • (P RHD)	O / • (P RHD)
BATHROOM					
Upper storage unit with mirror		•	•	-	-
Storage alcoves		•	-	•	•
Independent shower		•	-	•	-
Shower column with Plexiglas finish and shower head		-	-	-	•
Shower tray with shower curtain		-	•	-	-
MODULSPACE® swivel wardrobe system (with shower door)		•	-	•	-
DUO SPACE (with swivelling partition)		-	-	-	•
White basin		•	•	•	•
Protective surface on shower walls		•	•	•	•
Black shower duckboard		-	•	-	-
Teak-style shower duckboard		-	-	-	•
Towel rail		•	•	•	•
Cup holder and cup		•	•	•	•
Lighting		LED	LED	LED	LED
Cassette toilet with removable tank, telescopic handle and castors		• 18 L	• 18 L	• 18 L	• 18 L
BEDROOM					
Permanent bed with aluminium base frame and active slots, with highly durable BULTEX® foam mattress		•	•	•	•
Mattress toppers with memory foam on permanent bed	6	O	O	O	O
Mattress protection kit		O	O	O	O

* TEP: Polyamide-coated fabric.

• = Standard, O = Option, - = Not available

VANS

		V55	V62	V65XL	V68
POWER & COMFORT	WEIGHT (KG)				
Living-area battery circuit breaker		•	•	•	•
92Ah AGM living area battery (with coupler, separator and booster)	3	•	-	•	•
Second living-area battery 92 Ah AGM	27	•	-	•	•
100 Ah LITHIUM living-area battery (with coupler, separator and booster)		P ENERGY	•	P ENERGY	P ENERGY
Second living-area battery 100Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	O	O	O	O
«Coming home» mode with automatic side door gutter light and interior mood lighting		•	•	•	•
Digital control panel		•	•	•	•
Living room and bedroom speakers		•	•	•	•
Centralised fuse box with protected 'accessories' outlets		•	•	•	•
External 230 V socket		•	•	•	•
Internal 230 V socket	3	3	3	3	3
Internal 12 V socket	2	2	2	2	2
Internal 5 V USB port	3	3	3	6	5
Living area carpet	5	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Cab carpet	2	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Lino protector kit	2	O	O	O	O
Automatic inverter, for driving with gas heating on (anti-crash system)		P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Control gauge for fresh and waste water tanks		•	-	•	•
Solar panel wiring setup		•	•	•	•
150 W factory-assembled solar panel		P ENERGY	•	P ENERGY	P ENERGY
Expansion tank in fresh water system for constant pressure		•	•	•	•
Outside shower with hot/cold water	1	•	•	•	•
VEHICLE FITTINGS**					
FIAT 140 hp manual transmission, 3.5 T		•	•	• / - (RHD)	•
FIAT 140 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	O	O	O / - (RHD)	O
FIAT 180 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	O	O	-	O
FIAT 180 hp automatic transmission, 3.5 T 35H (vs 140 hp manual transmission 3.5 T)	65	-	-	O / Mandatory (RHD)	-
FIAT 140 hp automatic transmission, 4.25 T - HEAVY DUTY (vs 140 hp manual transmission 3.5 T)	65	O / - (RHD)	O / - (RHD)	O / - (RHD)	O / - (RHD)
FIAT 180 hp automatic transmission, 4.25 T - HEAVY DUTY (vs 140 hp manual transmission 3.5 T)	65	O / - (RHD)	O / - (RHD)	O / - (RHD)	O / - (RHD)
15" wheels with steel rims and hub caps		•	-	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	P SMART / P ASSIST / • (P RHD)	•	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)
Electric parking brake		O / P ASSIST / P KEY LESS	•	O / P ASSIST / P KEY LESS	O / P ASSIST / P KEY LESS
AdBlue® tank (litres)	19	19	19	19	19
60-litre diesel tank		-	•	•	•
90-litre diesel tank		•	• (HEAVY 4,25 T)	• (HEAVY 4,25 T)	• (HEAVY 4,25 T)
ABS		•	•	•	•
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
3PMSF all season tyres		P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Lane departure warning system with automatic emergency braking		P SAFETY+ / P ASSIST	P SAFETY+ / P ASSIST	P SAFETY+ / P ASSIST	P SAFETY+ / P ASSIST
Cruise control with speed limiter		•	•	•	•
Smart cruise control with road sign recognition and collision alert		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+
Adaptive cruise control		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+
Reversing radar (not compatible with tow bar or bike rack)	1	P VISION+	P VISION+	P VISION+	P VISION+
Emergency braking system		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+
Blind spot detector and rear cross traffic alert		P VISION+	P VISION+	P VISION+	P VISION+
Driver and passenger air bags		•	•	•	•
TPMS (automatic tyre pressure monitoring system)		O	O	O	O
2nd remote key (PLIP)		P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Keyless start and lock/unlock		P KEY LESS	P KEY LESS	P KEY LESS	P KEY LESS
Daytime running lights		•	•	•	•
100% LED front lights		P LED ASSIST	P LED ASSIST	P LED ASSIST	P LED ASSIST
Front fog lights	1	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Automatic headlights and front windscreen wipers with rain sensor		P SAFETY+ / P ASSIST / P LED ASSIST	P SAFETY+ / P ASSIST / P LED ASSIST	P SAFETY+ / P ASSIST / P LED ASSIST	P SAFETY+ / P ASSIST / P LED ASSIST
Electric de-frosting wing mirrors		•	•	•	•
Electric folding wing mirrors		P VISION+	P VISION+	P VISION+	P VISION+
Boosted rear axle air suspension with compressor		O	O	O	O
Reinforced rear axle suspension		-	•	•	•
Spare tyre (only available with a 60-litre diesel tank)		O	-	-	-
Puncture repair kit		•	•	•	•
CAB FITTINGS					
Cab doors with electric windows		•	•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•
Cab seats in fabric matching the living area		•	•	•	•
3-point retractable safety belts (cab and living space)		•	•	•	•
Embroidered cab headrest covers		•	•	•	•
TOUCH reading spotlight in cab		•	•	-	•
Cup holders		•	•	•	•
100% digital dashboard		P LOUNGE / P ASSIST	P LOUNGE / P ASSIST	P LOUNGE / P ASSIST	P LOUNGE / P ASSIST
Manual cab air conditioning		•	•	•	•
Automatic cab air-conditioning	1	P LOUNGE / P ASSIST	P LOUNGE / P ASSIST	P LOUNGE / P ASSIST	P LOUNGE / P ASSIST
Induction smartphone charger		P LOUNGE / P ASSIST	P LOUNGE / P ASSIST	P LOUNGE / P ASSIST	P LOUNGE / P ASSIST
Comfort steering wheel and gear knob		P SMART / P ASSIST / • (P RHD)	•	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)
Radio controls on steering wheel		P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Grey aluminium finish on air vent		P SMART / P ASSIST / • (P RHD)	•	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)
Electric power steering		•	•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		P RAPIDO VAN	-	P RAPIDO VAN	P RAPIDO VAN
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		-	•	-	-
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O	O	O	O
Reversing camera with control screen built into the dashboard		P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN	P RAPIDO VAN
Pleated cab window and windscreen blinds		•	•	•	•

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE C

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



C03



C50



C55

Upper beds

VEHICLE DIMENSIONS (M)			
Overall length	6,19	6,59	6,72
Overall width	2,17	2,17	2,17
Overall width with wing mirrors open	2,55	2,55	2,55
Overall height [A]	2,75	2,75	2,75
SEATS			
Seats with seatbelts	2+2	2+2	2+2
Registered (driving) seats	4	4	4
People dining space	5	5	5
Berths	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T	LIGHT: 3,5 T / 3,65 T HEAVY: 4,25 T**	LIGHT: 3,5 T / 3,65 T HEAVY: 4,25 T**
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	2880	2920	2920
Payload (kg)	620	580	580
CHASSIS			
Chassis	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e	EURO 6e
Wheelbase (m)	3,45	3,80	3,80
STORAGE AREA/GARAGE (CM)			
Width	100	100	100
Length	202	202	202
Height	120	88/108	120
Access right side (H x W)	100 x 75	100 x 75	100 x 75
Access left side (H x W)	100 x 75	100 x 50	100 x 75
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS
BED SIZE (MM)			
Rear bed	1300/1490 x 2020	1400 x 1900	800 x 1990 + 800 x 1850
King size bed extension	-	-	1370 x 1980
Extra dinette bed	900/680 x 1880	900/680 x 1880	1100/680 x 1880
AUTONOMY (LITRES)			
Fresh water [B]	20/110	20/110	20/110
Waste water	90	90	90
Type of refrigerator	Compression	Compression	Compression
Refrigerator volume	140	140	140
Gas bottle capacity	1 x 13 kg propane	1 x 13 kg propane	1 x 13 kg propane

* The first chassis in the 2026 Collection meet Euro 6EA then 6EBis standards.

** HEAVY chassis: GVW = 4250 kg (140 hp automatic transmission) (option at additional cost)

*** HEAVY chassis: GVW = 4400 kg (180 hp) (option at additional cost)

**** RHD 180 hp engine only available with HEAVY chassis (4,4 T)

[A] Overall height = +45 mm with 16" wheels

[B] Fresh water tank can be filled up to 110 L (120 L for the C86, C86i), which results in a lower payload.

• = Standard, - = Not available

C.. COMPACT LOW-PROFILE MODELS WITH SPECIAL FIAT CHASSIS
C..I COMPACT A-CLASS MODELS WITH SPECIAL FIAT CHASSIS

NEW **65**



C86

NEW **65**



Upper beds

C55i

NEW **65**



C86i

VEHICLE DIMENSIONS (M)			
Overall length	6,99	6,72	6,99
Overall width	2,17	2,17	2,17
Overall width with wing mirrors open	2,55	2,55	2,55
Overall height [A]	2,75	2,75	2,75
SEATS			
Seats with seatbelts	2+2	2+2	2+2
Registered (driving) seats	4	4	4
People dining space	4	5	4
Berths	2+1	2+2	2+2
WEIGHT			
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T***	LIGHT: 3,5 T / 3,65 T**** HEAVY: 4,4 T***	LIGHT: 3,5 T / 3,65 T**** HEAVY: 4,4 T***
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	2965	2955	3000
Payload (kg)	535	545	500
CHASSIS			
Chassis	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e	EURO 6e
Wheelbase (m)	4,035	3,80	4,035
STORAGE AREA/GARAGE (CM)			
Width	100	100	100
Length	202	202	202
Height	88/108	120	88/108
Access right side (H x W)	100 x 75	100 x 75	100 x 75
Access left side (H x W)	100 x 75	100 x 75	100 x 75
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS
BED SIZE (MM)			
Rear bed	1400 x 1960	800 x 1990 + 800 x 1850	1400 x 1960
King size bed extension	-	1370 x 1980	-
Extra dinette bed	740 x 1930	-	-
Overcab drop-down bed	-	1400 x 1850	1400 x 1850
AUTONOMY (LITRES)			
Fresh water [B]	20/120	20/110	20/120
Waste water	90	90	90
Type of refrigerator	Compression	Compression	Compression
Refrigerator volume	149	140	149
Gas bottle capacity	1 x 13 kg propane	1 x 13 kg propane	1 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE C

EQUIPMENT AND COMFORT

LOW PROFILE AND A-CLASS

		CO3	C50	C55	C86	C55i	C86i
CONSTRUCTION		WEIGHT (KG)					
NOVATECH Construction		•	•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•	•
Polyester underfloor external protection		•	•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•	•	•
BODYWORK AND OPENINGS							
White skirts, bumpers and bodywork		•	•	•	•	•	•
Iron Grey metallic cab bodywork paint		•	•	•	•	•	•
Front bumper painted in bodywork colour + Black skid plate + Front fog lights		P SELECT	P SELECT	P SELECT	P SELECT	-	-
Living area door with 2-point locking and fixed window		P SELECT	P SELECT	P SELECT	P SELECT	-	-
Living area door with 2-point locking, fixed window and inbuilt bin		-	-	-	-	P SELECT	P SELECT
Living area door 540mm wide		•	•	•	•	•	•
Living area flyscreen door		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Remote control locking of the cab and living area doors		•	•	•	•	•	•
Electric entry step		•	•	•	•	•	•
Living area windows with polyurethane frames		•	•	•	•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•	•	•	•
SKYVIEW panoramic roof		•	•	•	•	-	-
Large lengthwise living room skylight		•	•	•	•	•	•
Living room skylight with wooden finish		•	•	•	•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•	•	•
Cab bed skylight		-	-	-	-	•	•
External right side lighting		LED	LED	LED	LED	LED	LED
Aluminium side skirt line		•	•	•	•	•	•
Designer rear pillars with LED lights		•	•	•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•	•	•
HEATING							
TRUMA Combi 4 DIESEL heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	-	-	-	-	-	-
TRUMA Combi 6 EH DIESEL (diesel + electricity) heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Floor heating in living area (230 V)		O	O	O	O	O	O
SKYVIEW heating duct (requires Skyview)		•	•	•	•	-	-
Heated waste water tank		RHD PACK	O / • (P RHD)	•	•	•	•
STORAGE							
Access to storage area/garage from left and right side		•	•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•	•
Height-adjustable storage area/garage		-	-	-	-	-	-
Storage area ceiling LED lighting rail		•	•	•	•	•	•
STYLE							
NACARAT (with solid maple wood) or LUCEO furniture		•	•	•	•	•	•
ALICANTE fabric upholstery		•	•	•	•	•	•
TEP* upholstery: MILAN	5	O	O	-	-	-	-
TEP* upholstery: 65th anniversary PALMA (NACARAT furniture)		-	-	•	•	•	•
TEP* upholstery: 65th anniversary NOUMEA (LUCEO furniture)		-	-	•	•	•	•
BILBAO fabric upholstery	5	O	O	O	O	O	O
DUBROVNIK fabric upholstery		O	O	O	O	O	O
ALBA fabric upholstery		O	O	O	O	O	O
65th anniversary upholstery, accessories and decor		-	-	•	•	•	•
Panel curtains		•	•	•	•	•	•
Interior lighting		LED	LED	LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED	LED
LIVING ROOM							
Telescopic table leg/Extra occasional berth		•	•	•	•	-	-
Magnetic bench seat backs		•	•	•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (LUCEO)		•	•	•	•	•	•
Folding table with laminate finish		•	•	•	•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 430 W x 550 H x 70 D		•	•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•	•	•	•	•
4 assorted cushions in living room style		•	•	•	•	•	•
Day/night partition		-	•	•	•	•	•
Height-adjustable headrests		-	-	•	-	•	-
Face-to-face bench seat armrests		-	-	-	•	-	•
KITCHEN							
Worktop extension		•	•	•	•	•	•
Lighting under the worktop		LED	LED	LED	LED	LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•	•	•	•	•
Kitchen unit drawers with white fronts (glossy for NACARAT and matte for LUCEO)		•	•	•	•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•	•	•	•
Cutlery tray		•	•	•	•	•	•
Stainless steel sink with glossy black glass cover		•	•	•	•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•	•	•	•
Embossed stainless steel stovetop with 2 hobs, black cover and piezo ignition		•	•	•	•	•	•
Inbuilt extractor hood with LED lighting		-	•	•	•	•	•
18-litre oven (no grill)	13	-	-	-	O / • (P RHD)	-	O / • (P RHD)
23-litre oven with grill	22	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	-	O / • (P RHD)	-
BATHROOM							
Washroom storage unit with two mirror doors and frosted RAPIDO logo		-	-	-	•	-	•
Upper storage unit with mirror		•	•	•	-	•	-
Central XXL bathroom with double partition		-	-	-	•	-	•
Independent shower		-	-	-	-	-	•
Shower column with slate grey Plexiglass finish		•	•	•	-	•	-
Shower column with charcoal grey laminate finish		-	-	•	•	•	•
DUO'SPACE (with swivelling partition)		•	•	•	-	•	-
Water-saving shower head		•	•	•	•	•	•
Clothes drying rack		•	•	•	•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	•	•	-	•	-
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge		-	-	-	•	-	•
Laminate basin countertop with aluminium-style finish		-	-	-	•	-	•
Black shower duckboard		-	-	•	•	•	•
Teak-style shower duckboard		•	•	•	-	-	-
Cassette toilet with removable tank, telescopic handle and castors		•	•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•	•	•

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats.

• = Standard, O = Option, - = Not available

LOW PROFILE AND A-CLASS

							
BEDROOM		WEIGHT (KG)					
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•	•
Permanent, electrically assisted height-adjustable bed (= 20 cm)	15	-	-	-	-	-	-
Wall-mounted wardrobes with push lock system		•	•	•	•	•	•
Side storage alcoves with 12 V outlet		•	•	•	•	•	•
Fabric-covered backlit headboard		•	•	•	•	•	•
Adjustable reclining headboard on permanent bed		•	•	•	•	•	•
Retractable central bed base	5	-	-	-	-	-	-
Adjustable footboard for easier storage access		•	•	•	•	•	•
Mattress topper with memory foam on permanent bed	6	○	○	○	○	○	○
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•	•
Mattress protection kit		○	○	○	○	○	○
POWER & COMFORT							
92 Ah AGM living area battery (with coupler, separator and booster)	3	•	•	-	-	-	-
Second living-area battery 92 Ah AGM	27	P SELECT	P SELECT	-	-	-	-
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	-10	P ENERGY	P ENERGY	-	-	-	-
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	○	○	○	○	○	○
'Coming-home' mode with automatic awning light and electric entry step		•	•	•	•	•	•
Control panel		•	•	•	•	•	•
Speakers in the living area		•	•	•	•	•	•
Symphony audio pack		○	○	○	○	○	○
Centralised fuse box with protected 'accessories' outlets		•	•	•	•	•	•
External 230 V socket		•	•	•	•	•	•
Internal 230 V socket		4	4	4	4	4	4
Internal 12 V socket		4	4	4	4	4	4
Internal 5 V USB port		3	3	3	4	3	4
Living area and cab carpet	11	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
Lino protector kit	2	○	○	○	○	○	○
Solar panel wiring setup		•	•	-	-	-	-
150 W factory-assembled solar panel		P ENERGY	P ENERGY	•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•	•	•	•
Outside shower with hot/cold water	1	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
VEHICLE FITTINGS**							
FIAT 140 hp manual transmission, 3.5 T		•	•	•	•	•	•
FIAT 140 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	○	○	○	○	○	○
FIAT 180 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	-	○	○	○	○ / - (RHD)	○ / - (RHD)
FIAT 140 hp automatic transmission, 4.25 T - HEAVY DUTY (vs 140 hp manual transmission 3.5 T)	65	-	○ / - (RHD)	○ / - (RHD)	-	-	-
FIAT 180 hp automatic transmission, 4.4 T (vs 140 hp manual transmission 3.5 T)	65	-	-	-	-	○	○
FIAT 180 hp automatic transmission, 4.4 T - HEAVY DUTY (vs 140 hp manual transmission 3.5 T)	65	-	-	-	○ / - (RHD)	-	○
LIGHT chassis: possibility of 3.65T GVW		•	•	•	•	•	•
15" wheels with steel rims and hub caps		•	•	-	-	-	-
16" light alloy rims (+4.5 cm vehicle height)	12	P SMART / • (P RHD)	P SMART / • (P RHD)	•	•	•	•
Electric parking brake		○ / P KEY LESS / • (P RHD)	○ / P KEY LESS / • (P RHD)	•	•	•	•
AdBlue® tank (litres)		19	19	19	19	19	19
90-litre diesel tank		•	•	•	•	•	•
ABS		•	•	•	•	•	•
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		•	•	•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)		•	•	•	•	•	•
3PMSF all season tyres	2	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Lane departure warning system with automatic emergency braking		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Cruise control with speed limiter		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+	-	-
Smart cruise control with road sign recognition and collision alert		•	•	•	•	•	•
Adaptive cruise control		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+	-	-
Emergency braking system		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+	-	-
Driver and passenger air bags		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+	-	-
TPMS (automatic tyre pressure monitoring system)		•	•	•	•	•	•
2nd remote key (PLIP)		○	○	○	○	○	○
Daytime running lights		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
100% LED front lights		•	•	•	•	-	-
100% LED front lights (includes front fog lights)		P LED ASSIST	P LED ASSIST	P LED ASSIST	P LED ASSIST	-	-
Front fog lights	1	-	-	-	-	○	○
Automatic headlights and front windscreen wipers with rain sensor		P SELECT	P SELECT	P SELECT	P SELECT	○ / • (P RHD)	○ / • (P RHD)
Electric de-frosting wing mirrors		P SAFETY+ / P LED ASSIST	P SAFETY+ / P LED ASSIST	P SAFETY+ / P LED ASSIST	P SAFETY+ / P LED ASSIST	-	-
Coach-style wing mirrors		•	•	•	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		-	-	-	-	○ / • (P RHD)	○ / • (P RHD)
Stabilising jacks (at the back or in the wheelbase)		•	•	•	•	•	•
Tow bar [A] : 2 000 kg max. subject to GCW (option of ± 5 kg)	5	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
Puncture repair kit		○ 65	○ 70	○ 65	○ 70	○ 65	○ 70
CAB FITTINGS							
Cab doors with electric windows		•	•	•	•	-	-
Driver's door with power window		-	-	-	-	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•	•	•
Cab seats with built-in seatbelts		-	-	-	-	•	•
Cab seats in fabric matching the living area		•	•	•	•	•	•
3-point retractable safety belts (cab and living space)		•	•	•	•	•	•
Embroidered cab headrest covers (embossed for leather upholstery)		2+2	2+2	2+2	2+2	2+2	2+2
TOUCH reading spotlight in cab		•	•	•	•	-	-
Cup holder		•	•	•	•	•	•
100% digital dashboard		•	•	•	•	•	•
Manual cab air conditioning		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Automatic cab air-conditioning	1	•	•	•	•	•	•
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Jack-assisted foldaway cab bed with slat base and foam mattress		-	-	-	-	•	•
Central locking on cab bed		•	•	•	•	•	•
Comfort steering wheel and gear knob		•	•	•	•	•	•
Radio controls on steering wheel		P SMART / • (P RHD)	P SMART / • (P RHD)	•	•	•	•
Aluminium grey finish on air vent		P SELECT	P SELECT	P SELECT	P SELECT	•	•
Electric power steering		P SMART / • (P RHD)	P SMART / • (P RHD)	•	•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		•	•	•	•	•	•
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		•	•	•	•	•	•
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	○	○	○	○	○	○
Reversing camera with control screen built into the dashboard		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Pleated cab window and windscreen blinds		P SELECT	P SELECT	P SELECT	P SELECT	-	-
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade)		-	-	-	-	P SELECT	P SELECT
Winter exterior insulation	5	-	-	-	-	○	○
Without cab bed, with fixed-leg living room table		-	-	-	-	○	○

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 6F

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



606F

NEW **65**



Upper beds
Option ALDE

666F

VEHICLE DIMENSIONS (M)		
Overall length	6,69	7,49
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height [A]	2,90	2,90
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
People dining space	6	5
Berths	2+2	2+1
Berths (with drop-down bed option)	-	2+2
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,25 T***	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T**
Permissible Gross Combined Weight (GCW) [B]	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	2980	3060
Payload (kg)	520	440
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e
Wheelbase (m)	3,80	4,035
Extra-wide rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Width	85	114
Length	217	217
Height	120	120
Access right side (H x W)	100 x 60	105 x 87
Access left side (H x W)	100 x 60	105 x 87
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 4 CP PLUS	Truma Combi 4 CP PLUS
BED SIZE (MM)		
Rear bed	-	2 x (850 x 2050)
King size bed extension	-	1370 x 2060
Extra dinette bed (without drop-down bed)	-	980/870 x 2080
Extra dinette bed (with drop-down bed)	1150 x 2080	-
Drop-down bed	1500/1300 x 1950	O 1300/1150 x 1950
AUTONOMY (LITRES)		
Fresh water [C]	20/120	20/120
Waste water	90	90
Type of refrigerator	Absorption	Absorption
Refrigerator volume	156	156
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

* The first chassis in the 2026 Collection meet Euro 6EA then 6EBis standards.

** HEAVY chassis: GVW = 4400 kg (180 hp) (option at additional cost)

*** HEAVY chassis: GVW = 4250 kg (140 hp automatic transmission) (option at additional cost)

[A] Overall height = +45 mm with 16" wheels

[B] GVW 3500/3650 kg → GCW 5500 kg

[C] Fresh water tank can be filled up to 120 L, which results in a lower payload.

• = Standard, O = Option, - = Not available



686F

NEW 65



696F

VEHICLE DIMENSIONS (M)		
Overall length	7,20	7,49
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height [A]	2,90	2,90
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
People dining space	4	5
Berths	2+1	2+1
Berths (with drop-down bed option)	2+2	2+2
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T**	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T**
Permissible Gross Combined Weight (GCW) [B]	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3030	3050
Payload (kg)	470	450
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Extra-wide rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Width	114	114
Length	217	217
Height	88/108	88/108
Access right side (H x W)	100 x 87	100 x 87
Access left side (H x W)	100 x 87	100 x 87
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 4 CP PLUS	Truma Combi 4 CP PLUS
BED SIZE (MM)		
Rear bed	1500 x 1940	1600 x 1960
Extra dinette bed (without drop-down bed)	800/740 x 2080	980/870 x 2080
Drop-down bed	○ 1300/1150 x 1950	○ 1300/1150 x 1950
AUTONOMY (LITRES)		
Fresh water [C]	20/120	20/120
Waste water	90	90
Type of refrigerator	Absorption	Absorption
Refrigerator volume	135	156
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 6F

EQUIPMENT AND COMFORT

LOW PROFILE

		606F	666F	686F	696F
CONSTRUCTION	WEIGHT (KG)				
NOVATECH Construction		•	•	•	•
Impact-resistant polyester panels		•	•	•	•
Impact-resistant polyester roof		•	•	•	•
Polyester underfloor external protection		•	•	•	•
Floor bodywork with polyurethane		•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•
BODYWORK AND OPENINGS					
White skirts, bumpers and bodywork		•	•	•	•
Iron Grey metallic cab bodywork paint		-	-	-	-
Front bumper painted in bodywork colour + Black skid plate + Front fog lights		P SELECT	P SELECT	P SELECT	P SELECT
Living area door with 2-point locking, fixed window and inbuilt bin		P SELECT	P SELECT	P SELECT	P SELECT
Living area door 540mm wide		-	-	-	-
XL living area door: 600 mm		-	•	-	•
65th anniversary embroidery on living area doormat		-	•	-	•
Living area flyscreen door		P SELECT	P SELECT	P SELECT	P SELECT
Remote control locking of the cab and living area doors		•	•	•	•
Insulated fixed 'L' single step		-	-	•	-
Insulated fixed 'XL' single step		•	•	-	•
Living area windows with polyurethane frames		•	•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•	•
Skyview panoramic roof electric de-icing	20	•	•	•	•
Large lengthwise living room skylight		•	•	•	•
Living room skylight with wooden finish		-	•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•
External right side lighting		LED	LED	LED	LED
Aluminium side skirt line		•	•	•	•
Designer rear pillars with LED lights		•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•
HEATING					
TRUMA Combi 4 heating with CP PLUS control panel		-	-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	•	O	•	•
Floor heating in living area (230 V)		O	O	O	O
Heated waste water tank		O / • (P RHD)	•	O / • (P RHD)	•
STORAGE					
XXL wardrobe		•	-	-	-
Access to storage area/garage from left and right side		•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•
Height-adjustable storage area/garage		-	-	•	•
Storage area ceiling LED lighting rail		•	•	•	•
STYLE					
NACARAT (with solid maple wood) or LUCEO furniture		•	•	•	•
Living room furniture with LED back-lit cubby (storage compartments)		•	•	•	•
ALICANTE fabric upholstery		•	-	•	-
TEP* upholstery: MILAN	5	O	-	O	-
TEP* upholstery: PALMA (NACARAT furniture)		•	-	•	-
TEP* upholstery: 65th anniversary PALMA (NACARAT furniture)		-	•	-	•
TEP* upholstery: NOUMEA (LUCEO furniture)		•	-	•	-
TEP* upholstery: 65th anniversary NOUMEA (LUCEO furniture)		-	•	-	•
BILBAO fabric upholstery	5	O	O	O	O
DUBROVNIK fabric upholstery		O	O	O	O
ALBA fabric upholstery		O	O	O	O
65th anniversary upholstery, accessories and decor		-	•	-	•
Panel curtains		•	•	•	•
Interior lighting		LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED
LIVING ROOM					
Telescopic table leg/Extra occasional berth (no drop-down bed)		-	•	•	•
Electric telescopic table leg/Extra occasional berth (with drop-down bed)		•	-	•	-
Magnetic bench seat backs		•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (LUCEO)		•	•	•	•
Folding table with laminate finish		•	•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D		•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•	•	•
4 assorted cushions in living room style		•	•	•	•
Machined decor day/night divider		-	•	•	•
Face-to-face bench seat armrests		•	•	•	•
Electrically adjustable, switchable drop-down bed with slat base and BULTEX® mattress	45	• 2 berth	-	-	-
Electrically adjustable, switchable drop-down bed with slat base and mattress	45	-	O 2 berth	O 2 berth	O 2 berth
KITCHEN					
Worktop extension		•	•	•	•
Lighting under the worktop		LED	LED	LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•	•	•
Kitchen unit drawers with white fronts (glossy for NACARAT and matte for LUCEO)		•	•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•	•
Cutlery tray		•	•	•	•
Stainless steel sink with glossy black glass cover		•	•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•	•
Embossed stainless steel stove top with 2 hobs, black cover and piezo ignition		•	-	-	-
Embossed stainless steel stove top with 2 hobs, independent black covers and piezo ignition		-	•	•	•
Embossed stainless steel stove top with 3 hobs, independent black covers and piezo ignition		-	O	O	O
Refrigerator grill covers (for winter use)		•	•	•	•
Inbuilt extractor hood with LED lighting		•	•	•	•
23-litre oven with grill	22	-	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
36-litre oven with grill	15	O / • (P RHD)	-	-	-
BATHROOM					
Washroom storage unit with two mirror doors and frosted RAPIDO logo		-	•	•	•
Upper storage unit with mirror		•	-	-	-
Central XXL bathroom with double partition		-	•	•	•
Independent shower		•	•	•	•
Shower column with slate grey Plexiglass finish		•	-	•	-
Shower column with charcoal grey laminate finish		-	•	-	•
Water-saving shower head		•	•	•	•
Clothes drying rack		•	•	•	•

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats.

• = Standard, O = Option, - = Not available

LOW PROFILE

		606F	666F	686F	696F
BATHROOM		WEIGHT (KG)			
Thermofomed rectangular basin with swivel brass mixer tap and ceramic cartridge		•	•	•	•
Laminate basin countertop with aluminium-style finish		-	•	-	•
Black shower duckboard		-	•	-	•
Cassette toilet with removable tank, telescopic handle and castors		•	•	•	•
Quick-clean thermofomed toilet cassette compartment		•	•	•	•
BEDROOM					
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		-	•	•	•
Permanent, electrically assisted height-adjustable bed (= 20 cm)	15	-	-	•	•
Wall-mounted wardrobes with push lock system		-	-	•	•
Bed footboard storage drawer		-	-	•	•
Side storage alcoves with 12 V outlet		-	-	•	•
Fabric-covered backlit headboard		-	•	•	•
Adjustable reclining headboard on permanent bed		-	-	•	•
Retractable central bed base	5	-	-	•	•
Adjustable footboard for easier storage access		-	•	-	-
Mattress topper with memory foam on permanent bed	6	-	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		-	•	•	•
Mattress protection kit		-	O	O	O
POWER & COMFORT					
92 Ah AGM living area battery (with coupler, separator and booster)	3	•	-	•	-
Second living-area battery 92 Ah AGM	27	O / • (P RHD)	-	O / • (P RHD)	-
100 Ah LITHIUM living-area battery (with coupler, separator and booster)		P ENERGY	•	P ENERGY	•
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	O	O	O	O
'Coming home' mode with automatic awning light		•	•	•	•
Control panel		•	•	•	•
Speakers in the living area		•	•	•	•
Symphony audio pack		O	O	O	O
Centralised fuse box with protected 'accessories' outlets		•	•	•	•
External 230 V socket		•	•	•	•
Internal 230 V socket	3	4	4	4	4
Internal 12 V socket	2	4	4	4	4
Internal 5 V USB port	4	4	4	4	4
Living area and cab carpet	11	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Lino protector kit	2	O	O	O	O
Automatic inverter, for driving with gas heating on (anti-crash system)		P SELECT	P SELECT	P SELECT	P SELECT
Solar panel wiring setup		•	•	•	•
150 W factory-assembled solar panel		P ENERGY	•	P ENERGY	•
Centralised water distribution (access to all fittings)		•	•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•	•
Outside shower with hot/cold water	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
VEHICLE FITTINGS**					
FIAT 140 hp manual transmission, 3.5 T		•	•	•	•
FIAT 140 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	O	O	O	O
FIAT 180 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	O	O	O	O
FIAT 140 hp automatic transmission, 4.25 T - HEAVY DUTY (vs 140 hp manual transmission 3.5 T)	65	O / - (RHD)	-	-	-
FIAT 180 hp automatic transmission, 4.4 T (vs 140 hp manual transmission 3.5 T)	65	-	O	O	O
LIGHT chassis: possibility of 3.65T GVW		•	•	•	•
15" wheels with steel rims and hub caps		•	-	•	-
16" light alloy rims (+4.5 cm vehicle height)	12	P SMART / • (P RHD)	•	P SMART / • (P RHD)	•
Electric parking brake		O / P KEY LESS / • (P RHD)	•	O / P KEY LESS / • (P RHD)	•
AdBlue® tank (litres)		19	19	19	19
60-litre diesel tank		•	•	•	•
90-litre diesel tank		• (HEAVY)	• (HEAVY)	• (HEAVY)	• (HEAVY)
ABS		•	•	•	•
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	P SELECT	P SELECT	P SELECT	P SELECT
3PMSF all season tyres		P SELECT	P SELECT	P SELECT	P SELECT
Lane departure warning system with automatic emergency braking		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+
Cruise control with speed limiter		•	•	•	•
Smart cruise control with road sign recognition and collision alert		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+
Adaptive cruise control		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+
Emergency braking system		P SAFETY+	P SAFETY+	P SAFETY+	P SAFETY+
Driver and passenger air bags		•	•	•	•
TPMS (automatic tyre pressure monitoring system)		O	O	O	O
2nd remote key (PLIP)		P SELECT	P SELECT	P SELECT	P SELECT
Daytime running lights		•	•	•	•
100% LED front lights		P LED ASSIST	P LED ASSIST	P LED ASSIST	P LED ASSIST
Front fog lights	1	P SELECT	P SELECT	P SELECT	P SELECT
Automatic headlights and front windscreen wipers with rain sensor		P SAFETY+ / P LED ASSIST	P SAFETY+ / P LED ASSIST	P SAFETY+ / P LED ASSIST	P SAFETY+ / P LED ASSIST
Electric de-frosting wing mirrors		•	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•	•	•
Stabilising jacks (at the back or in the wheelbase)	5	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Tow bar [A]: 2 000 kg max. subject to GCW (option of ± 5 kg)		O 70	O 70	O 70	O 70
Puncture repair kit		•	•	•	•
CAB FITTINGS					
Cab doors with electric windows		•	•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•
Cab seats in fabric matching the living area		•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•
TOUCH reading spotlight in cab		•	•	•	•
Cup holder		•	•	•	•
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		•	•	•	•
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Comfort steering wheel and gear knob		P SMART / • (P RHD)	•	P SMART / • (P RHD)	•
Radio controls on steering wheel		P SELECT	P SELECT	P SELECT	P SELECT
Aluminium grey finish on air vent		P SMART / • (P RHD)	•	P SMART / • (P RHD)	•
Electric power steering		•	•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		P SELECT	-	P SELECT	-
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		-	•	-	•
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O	O	O	O
Reversing camera with control screen built into the dashboard		P SELECT	P SELECT	P SELECT	P SELECT
Pleated cab window and windscreen blinds		P SELECT	P SELECT	P SELECT	P SELECT

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 8F

TECHNICAL DATA

NEW

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



850F



854F

VEHICLE DIMENSIONS (M)		
Overall length	6,99	6,99
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height [A]	2,91	2,91
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
People dining space	5	7
Berths	2+2	2+2
Berths (with drop-down bed option)	-	2+2+2
Berths (with no cab bed option)	2+1	-
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T****	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T****
Permissible Gross Combined Weight (GCW) [B]	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3075	3075
Payload (kg)	425	425
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Extra-wide rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Width	114	85
Length	217	217
Height	84/114	120
Access right side (H x W)	110 x 87	110 x 60
Access left side (H x W)	70 x 87	80 x 60
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZE (MM)		
Rear bed	1500 x 1940	-
Extra dinette bed	-	1500 x 2000
Extra dinette bed (with no cab bed option)	900 x 1750	-
Drop-down bed	-	O 1400 x 1950
Overcab drop-down bed	1450 x 1900	-
Electric drop-down cab bed	-	1450 x 1900
AUTONOMY (LITRES)		
Fresh water [C]	20/120	20/120
Waste water	120	120
Type of refrigerator	Absorption	Absorption
Refrigerator volume	135	128
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

* The first chassis in the 2026 Collection meet Euro 6EA then 6EBis standards.

** GVW 3500 kg = 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

*** GVW 3500 kg = 4 registered seats with 140 hp manual gearbox, or without towing capability / 3 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

**** HEAVY chassis: GVW = 4400 kg (180 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500 kg → GCW 5500 kg ; 3650 kg → 5650 kg ; 4400 kg → 6000 kg

[C] Fresh water tank can be filled up to 120 L, which results in a lower payload.

• = Standard, O = Option, - = Not available



Upper beds

866F



896F

VEHICLE DIMENSIONS (M)		
Overall length	7,49	7,49
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height [A]	2,91	2,91
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4**	4***
People dining space	5	5
Berths	2+2	2+2
Berths (with no cab bed option)	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T****	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T****
Permissible Gross Combined Weight (GCW) [B]	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3150	3135
Payload (kg)	350	365
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard*	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Extra-wide rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Width	114	114
Length	217	217
Height	126	84/114
Access right side (H x W)	110 x 87	110 x 87
Access left side (H x W)	85 x 87	70 x 87
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZE (MM)		
Rear bed	2 x (850 x 2050)	1600 x 1960
King size bed extension	1370 x 2060	-
Extra dinette bed (with no cab bed option)	1100/980 x 2085	1100/980 x 2085
Overcab drop-down bed	1450 x 1900	1450 x 1900
AUTONOMY (LITRES)		
Fresh water [C]	20/120	20/120
Waste water	120	120
Type of refrigerator	Absorption	Absorption
Refrigerator volume	156	156
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis FIAT; definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 8F

EQUIPMENT AND COMFORT

A - CLASS

		850F	854F	866F	896F
CONSTRUCTION		WEIGHT (KG)			
NOVATECH Construction		•	•	•	•
Impact-resistant polyester panels		•	•	•	•
Impact-resistant polyester roof		•	•	•	•
Polyester underfloor external protection		•	•	•	•
Floor bodywork with polyurethane		•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•
BODYWORK AND OPENINGS		•	•	•	•
White skirts, bumpers and bodywork		P SELECT	P SELECT	P SELECT	P SELECT
Living area door with 2-point locking, fixed window and inbuilt bin		•	•	•	•
Living area door 540mm wide		-	-	•	•
XL living area door: 600 mm		P SELECT	P SELECT	P SELECT	P SELECT
Living area flyscreen door		•	•	•	•
Remote control locking of the cab and living area doors		•	•	-	-
Insulated fixed 'L' single step		-	-	•	•
Insulated fixed 'XL' single step		•	•	•	•
Electric entry step		•	•	•	•
Living area windows with polyurethane frames		•	•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•	•
Large lengthwise living room skylight		•	•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•
Cab bed skylight		LED	LED	LED	LED
External right side lighting		•	•	•	•
Designer rear pillars with LED lights		•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•
HEATING		-	-	-	-
TRUMA Combi 6 heating with INET X control panel		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
TRUMA Combi 6 EH (gas and electricity) heating with INET X control panel		O	O	O	O
Floor heating in living area (230 V)		P SELECT	P SELECT	P SELECT	P SELECT
Heated waste water tank		P SELECT	P SELECT	P SELECT	P SELECT
STORAGE		70	-	70	70
Internal underfloor storage boxes (volume in litres)		-	•	-	-
XXL wardrobe	18	O	O	O	O
Sliding external storage drawer (volume = 45 litres; max. load = 25kg)		•	•	•	•
Access to storage area/garage from left and right side		•	-	-	•
Height-adjustable storage area/garage		•	•	•	•
Storage area ceiling LED lighting rail		•	•	•	•
STYLE		•	•	•	•
PALATINA (with solid maple wood) or AURORA furniture		•	•	•	•
Living room furniture with LED back-lit cubby (storage compartments)		•	•	•	•
ALICANTE fabric upholstery	5	O	O	O	O
TEP* upholstery: MILAN	5	O	-	O	O
BILBAO fabric upholstery		O	-	O	O
DUBROVNIK fabric upholstery		O	-	O	O
ALBA fabric upholstery		• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)
Net curtains on living room window		LED	LED	LED	LED
Interior lighting		LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED
LIVING ROOM		•	•	•	•
Living room and kitchen window cladding		•	•	•	•
Magnetic bench seat backs		•	•	•	•
Laminated table with solid wood moulding (PALATINA) or veneer edges (AURORA)		•	•	•	•
Folding table with laminate finish		•	•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 430 W x 550 H x 70 D		-	-	-	-
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D		•	•	•	•
Spotlight base under overhead cupboards		•	•	•	•
4 assorted cushions in living room style		•	•	•	•
Spacious rear lounge converts to occasional berth		- (PALATINA) / • (AURORA)	-	- (PALATINA) / • (AURORA)	- (PALATINA) / • (AURORA)
Day/night partition		• (PALATINA) / - (AURORA)	-	• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)
Machined decor day/night divider		-	-	-	-
Height-adjustable headrests		-	-	-	-
Face-to-face bench seat armrests		-	-	•	•
Electrically adjustable, switchable drop-down bed with slat base and mattress	45	-	O 2 berth	-	-
KITCHEN		-	•	-	-
Removable serving hatch shelf		LED	LED	LED	LED
Lighting under the worktop		•	•	•	•
Spice rack		•	•	•	•
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)		•	•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•	•
Sliding wire basket and tea towel rail		-	•	-	-
Full-height sliding storage		-	•	-	-
Cutlery tray		•	•	•	•
Stainless steel sink with glossy black glass cover		•	•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•	•
Embossed stainless steel stovetop with 2 hobs, independent black covers and piezo ignition		•	•	•	•
Refrigerator grill covers (for winter use)		•	•	•	•
23-litre oven with grill	22	O / • (P RHD)	-	O / • (P RHD)	O / • (P RHD)
36-litre oven with grill	15	-	O / • (P RHD)	-	-
BATHROOM		•	•	•	•
Upper storage unit with mirror		-	-	•	•
Central XXL bathroom with double partition		-	-	•	•
Independent shower		•	•	•	•
Shower column with slate grey Plexiglass finish		•	•	•	•
DUO SPACE (with swivelling partition)		•	•	-	-
Clothes drying rack		•	•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		-	-	-	-
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge		-	-	•	•
Laminate basin countertop with aluminium-style finish		-	-	•	•
Teak-style shower duckboard		•	•	-	-
Cassette toilet with removable tank, telescopic handle and castors		•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats.

• = Standard, O = Option, - = Not available

A - CLASS

		850F	854F	866F	896F
BEDROOM	WEIGHT (KG)				
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	-	•	•
Permanent electrically assisted height-adjustable bed (= 30 cm)	15	•	-	-	•
Wall-mounted wardrobes with push lock system		•	-	-	•
Storage built into the bed footboard		•	-	-	•
Side storage alcoves with 12 V outlet		•	-	-	•
Storage alcove with 12 V outlet		-	-	•	-
Fabric-covered headboard		•	-	-	•
Adjustable reclining headboard on permanent bed		•	-	-	•
Retractable central bed base	5	•	-	-	•
Adjustable footboard for easier storage access		•	-	•	•
Mattress topper with memory foam on permanent bed	6	○	-	○	○
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	-	•	•
Mattress protection kit		○	-	○	○
POWER & COMFORT					
92 Ah AGM living area battery (with coupler, separator and booster)	3	•	•	•	•
Second living-area battery 92 Ah AGM	27	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
100 Ah LITHIUM living-area battery (with coupler, separator and booster)		P ENERGY	P ENERGY	P ENERGY	P ENERGY
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	○	○	○	○
'Coming-home' mode with automatic awning light and electric entry step		•	•	•	•
Control panel		•	•	•	•
Speakers in the living area		•	•	•	•
Symphony audio pack		○	○	○	○
Centralised fuse box with protected 'accessories' outlets		•	•	•	•
External 230 V socket		•	•	•	•
Internal 230 V socket		4	5	4	4
Internal 12 V socket		2	4	4	4
Internal 5 V USB port		3	4	3	3
Living area and cab carpet	11	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
Lino protector kit	2	○	○	○	○
Automatic inverter, for driving with gas heating on (anti-crash system)		P SELECT	P SELECT	P SELECT	P SELECT
Solar panel wiring setup		•	•	•	•
150 W factory-assembled solar panel		P ENERGY	P ENERGY	P ENERGY	P ENERGY
Centralised water distribution (access to all fittings)		•	•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•	•
Outside shower with hot/cold water	1	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
VEHICLE FITTINGS**					
FIAT 140 hp manual transmission, 3.5 T		•	•	•	•
FIAT 140 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	○	○	○	○
FIAT 180 hp automatic transmission, 4.4 T (vs 140 hp manual transmission 3.5 T)	65	○	○	○	○
LIGHT chassis: possibility of 3.65T GVW		•	•	•	•
15" wheels with steel rims and hub caps		•	•	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)
Electric parking brake		○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
AdBlue® tank (litres)		19	19	19	19
60-litre diesel tank		•	•	•	•
90-litre diesel tank		• (HEAVY)	• (HEAVY)	• (HEAVY)	• (HEAVY)
ABS		•	•	•	•
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	P SELECT	P SELECT	P SELECT	P SELECT
3PMSF all season tyres		P SELECT	P SELECT	P SELECT	P SELECT
Cruise control with speed limiter		•	•	•	•
Driver and passenger air bags		○	○	○	○
TPMS (automatic tyre pressure monitoring system)		P SELECT	P SELECT	P SELECT	P SELECT
2nd remote key (PLIP)		•	•	•	•
LED day running lights		○	○	○	○
100% LED front lights (includes front fog lights)		○	○	○	○
Front fog lights	1	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
Electric de-frosting wing mirrors		•	•	•	•
Coach-style wing mirrors		•	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
Composite leaf spring		P SELECT	P SELECT	P SELECT	P SELECT
Stabilising jacks (at the back or in the wheelbase)	5	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)	○ / • (P RHD)
Tow bar [A]: 2 000 kg max. subject to GCW (option of ± 5 kg)		○ 65	○ 65	○ 70	○ 70
Puncture repair kit		•	•	•	•
CAB FITTINGS					
Driver's door with power window		•	•	•	•
Driver's door with 2-point locking		P SELECT	P SELECT	P SELECT	P SELECT
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•
Cab seats with built-in seatbelts		•	•	•	•
Cab seats in fabric matching the living area		•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•
Cup holder		•	•	•	•
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		•	•	•	•
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	-	•	•
Electric foldaway cab bed with slat base and BULTEX® foam mattress		-	•	-	-
Central locking on cab bed		•	•	•	•
Retractable shelf behind driver seat (RHD: passenger's seat)		-	•	-	-
Comfort steering wheel and gear knob		P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)
Radio controls on steering wheel		P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)
Aluminium grey finish on air vent		P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)
Electric power steering		•	•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		P SELECT	P SELECT	P SELECT	P SELECT
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	○	○	○	○
Reversing camera with control screen built into the dashboard		P SELECT	P SELECT	P SELECT	P SELECT
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade)		P SELECT	P SELECT	P SELECT	P SELECT
Winter exterior insulation	5	○	○	○	○
Double-glazed side windows in cab (except driver's door)	10	○	○	○	○
Without cab bed, with telescopic living room table leg for berth configuration		○	-	○	○

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis FIAT; definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 80dF

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Upper beds
Option ALDE

8066dF

VEHICLE DIMENSIONS (M)	
Overall length	7,49
Overall width	2,35
Overall width with wing mirrors open	2,76
Overall height [A]	2,91
SEATS	
Seats with seatbelts	2+2
Registered (driving) seats	4**
People dining space	5
Berths	2+2
Berths (with no cab bed option)	2+1
WEIGHT	
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,7 T HEAVY: 4,5 T***
Permissible Gross Combined Weight (GCW) [B]	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3140
Payload (kg)	360
CHASSIS	
Chassis	FIAT AL-KO
Standard engine	2,2 L - 140 hp****
Anti-pollution standard*	EURO 6e
Wheelbase (m)	4,300
Extra-wide rear track (m)	1,98
STORAGE DOUBLE FLOOR (CM)	
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72
Heated	Yes
STORAGE AREA/GARAGE (CM)	
Width	114
Length	217
Height	119
Access right side (H x W)	112 x 89
Access left side (H x W)	112 x 89
Heated	Yes
HEATING	
Type of heating	Truma Combi 6 EH CP PLUS / Option ALDE
BED SIZE (MM)	
Rear bed	2 x (850 x 2050)
King size bed extension	1370 x 2060
Extra dinette bed (with no cab bed option)	1100/900 x 2085
Overcab drop-down bed	1450 x 1900
AUTONOMY (LITRES)	
Fresh water [C]	20/130
Waste water	110
Type of refrigerator	Absorption
Refrigerator volume	156
Gas bottle capacity	2 x 13 kg propane

* The first chassis in the 2026 Collection meet Euro 6EA then 6EBis standards.

** GVW 3500 kg = 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

*** HEAVY chassis: GVW = 4400 kg (180 hp) (option at additional cost)

**** RHD: only with 180 hp automatic (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500/3650 kg → GCW 5500 kg ; 4400 kg → 6000 kg

[C] Fresh water tank can be filled up to 130 L, which results in a lower payload.

• = Standard, - = Not available

A-CLASS MODELS WITH FIAT AL-KO CHASSIS, EXTRA-WIDE REAR TRACK & STORAGE DOUBLE FLOOR



8086dF



Option ALDE

8096dF

VEHICLE DIMENSIONS (M)		
Overall length	7,20	7,49
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height [A]	2,91	2,91
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4**	4**
People dining space	4	5
Berths	2+2	2+2
Berths (with no cab bed option)	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,7 T HEAVY: 4,5 T***	LIGHT: 3,5 T / 3,7 T HEAVY: 4,5 T***
Permissible Gross Combined Weight (GCW) [B]	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3100	3140
Payload (kg)	400	360
CHASSIS		
Chassis	FIAT AL-KO	FIAT AL-KO
Standard engine	2,2 L - 140 hp****	2,2 L - 140 hp****
Anti-pollution standard*	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,300
Extra-wide rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 37	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM)		
Width	114	114
Length	217	217
Height	89/119	89/119
Access right side (H x W)	117 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 EH CP PLUS / Option ALDE
BED SIZE (MM)		
Rear bed	1500 x 1940	1600 x 1960
Extra dinette bed (with no cab bed option)	900/840 x 2085	1100/900 x 2085
Overcab drop-down bed	1450 x 1900	1450 x 1900
AUTONOMY (LITRES)		
Fresh water [C]	20/130	20/130
Waste water	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator volume	135	156
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis FIAT; definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



S E R I E 80dF

E Q U I P M E N T A N D C O M F O R T

A - C L A S S

CONSTRUCTION		WEIGHT (KG)	8066dF	8086dF	8096dF
NOVATECH Construction			•	•	•
Impact-resistant polyester panels			•	•	•
Impact-resistant polyester roof			•	•	•
Polyester underfloor external protection			•	•	•
Floor bodywork with polyurethane			•	•	•
Styrofoam® insulation (roof, walls and floor)			•	•	•
Storage area in robust polyurethane			•	•	•
BODYWORK AND OPENINGS					
White skirts, bumpers and bodywork			•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin			P SELECT	P SELECT	P SELECT
Living area door 540mm wide			-	•	-
XL living area door: 600 mm			-	-	-
Living area flyscreen door			P SELECT	P SELECT	P SELECT
Remote control locking of the cab and living area doors			•	•	•
Insulated fixed 'L' single step			-	•	-
Insulated fixed 'XL' single step			•	-	•
Electric entry step			•	•	•
Storage area hatch struts			•	•	•
Storage area compression handles flush with hatch, with 2-point locking			•	•	•
Living area windows with polyurethane frames			•	•	•
Double glazed living area windows with blinds and flyscreen			•	•	•
Large lengthwise living room skylight			•	•	•
Transparent skylights with blackout blind and flyscreen			•	•	•
Cab bed skylight			•	•	•
External right side lighting			LED	LED	LED
Designer rear pillars with LED lights			•	•	•
Back panel set-up with inserts for bike rack			•	•	•
HEATING					
TRUMA Combi 6 heating with INET X control panel			-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with INET X control panel			O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65		O	-	O
Heating distributed via the living room table leg (except telescopic leg) (only with ALDE)			•	-	•
ALDE living area hot water floor heating (only available with ALDE heating)	8		O	-	O
TRUMA windscreen heating duct			•	•	•
Heated waste water tank			•	•	•
STORAGE					
Transverse storage double floor with internal and external access			•	•	•
Heated, lit double floor			•	•	•
Access to storage area/garage from left and right side			•	•	•
Storage area/garage with left and right lowered floor			•	•	•
Height-adjustable storage area/garage			-	•	•
Storage area ceiling LED lighting rail			•	•	•
STYLE					
PALATINA (with solid maple wood) or AURORA furniture			•	•	•
Living room furniture with LED back-lit cubby (storage compartments)			•	•	•
TEP* upholstery: MILAN	5		O	O	O
Leather upholstery: AUSTIN	8		O	O	O
Leather upholstery: BRAGA	8		O	O	O
TEP* upholstery: PALMA (PALATINA furniture)			•	•	•
TEP* upholstery: NOUMEA (AURORA furniture)			•	•	•
BILBAO fabric upholstery	5		O	O	O
DUBROVNIK fabric upholstery			O	O	O
ALBA fabric upholstery			O	O	O
Net curtains on living room window			• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)
Interior lighting			LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom			LED	LED	LED
Living room and bedroom indirect lighting dimmer			•	•	•
LIVING ROOM					
Living room and kitchen window cladding			•	•	•
Magnetic bench seat backs			•	•	•
Laminated table with solid wood moulding (PALATINA) or veneer edges (AURORA)			•	•	•
Folding table with laminate finish			•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 520 W x 340 H x 80 D			-	•	-
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D			•	-	•
Inbuilt TV unit with backlighting and storage			•	•	•
Spotlight base under overhead cupboards			•	•	•
4 assorted cushions in living room style			•	•	•
Day/night partition			- (PALATINA) / • (AURORA)	- (PALATINA) / • (AURORA)	- (PALATINA) / • (AURORA)
Machined decor day/night divider			• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)
Face-to-face bench seat armrests			•	•	•
KITCHEN					
Lighting under the worktop			LED	LED	LED
Spice rack			- (PALATINA) / • (AURORA)	- (PALATINA) / • (AURORA)	- (PALATINA) / • (AURORA)
Backlit spice rack			• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)	• (PALATINA) / - (AURORA)
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)			•	•	•
Self-closing drawers with automatic electric central locking when engine starts			•	•	•
Cutlery tray			•	•	•
Stainless steel sink with glossy black glass cover			•	•	•
Chromed brass pull-down kitchen tap with ceramic cartridge			•	•	•
Embossed stainless steel stovetop with 2 hobs, independent black covers and piezo ignition			•	•	•
Extra-deep refrigerator			•	-	•
Refrigerator grill covers (for winter use)			•	•	•
23-litre oven with grill	22		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
BATHROOM					
Washroom storage unit with two sliding doors with mirror and frosted RAPIDO logo			•	•	•
Central XXL bathroom with double partition			•	•	•
Independent shower			•	•	•
Magnetic shower door latches with matte black edge			•	•	•
Blue LED mood lighting on shower column			•	•	•
Clothes drying rack			•	•	•
Thermofomed rectangular basin with swivel brass mixer tap and ceramic cartridge			•	•	•
Laminate basin countertop with aluminium-style finish			•	•	•
Black shower duckboard			•	•	•
Cassette toilet with removable tank, telescopic handle and castors			•	•	•
Quick-clean thermofomed toilet cassette compartment			•	•	•

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats.

• = Standard, O = Option, - = Not available

A - CLASS MODELS WITH FIAT AL-KO CHASSIS, EXTRA-WIDE REAR TRACK
& STORAGE DOUBLE FLOOR

A - CLASS

BEDROOM		WEIGHT (KG)			
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress	15	•		•	
Permanent electrically assisted height-adjustable bed (= 30 cm)		-		•	
Backlit wall-mounted wardrobes with push lock system		-		•	
Storage built into the bed footboard		-		•	
Side storage alcoves with 12 V outlet	5	•		•	
Fabric-covered backlit headboard		•		•	
Adjustable reclining headboard on permanent bed		-		•	
Retractable central bed base		-		•	
Adjustable footboard for easier storage access	6	•		•	
Mattress topper with memory foam on permanent bed		O		O	
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•		•	
Mattress protection kit		O		O	
POWER & COMFORT					
92 Ah AGM living area battery (with coupler, separator and booster)	3	•		•	
Second living-area battery 92 Ah AGM	27	O / • (P RHD)		O / • (P RHD)	
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	13	P ENERGY		P ENERGY	
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)		O		O	
'Coming-home' mode with automatic awning light and electric entry step		•		•	
Living area entry step backlighting when door opens		•		•	
Control panel	11	•		•	
Speakers in the living area		•		•	
Symphony audio pack		O		O	
NOVABOX: easy access to service area		•		•	
Centralised fuse box with protected 'accessories' outlets	5	•		•	
External 230 V socket		•		•	
Internal 230 V socket		5		5	
Internal 12 V socket		4		4	
Internal 5 V USB port	3	3		3	
Living area and cab carpet		O / • (P RHD)		O / • (P RHD)	
Lino protector kit		O		O	
Automatic inverter, for driving with gas heating on (anti-crash system)		P SELECT		P SELECT	
Solar panel wiring setup	2	•		•	
150 W factory-assembled solar panel		P ENERGY		P ENERGY	
Centralised water distribution (access to all fittings)		•		•	
Expansion tank in fresh water system for constant pressure		•		•	
Outside shower with hot/cold water	1	O / • (P RHD)		O / • (P RHD)	
VEHICLE FITTINGS**					
FIAT 140 hp, automatic transmission, 3,5 T	0	• / - (RHD)		• / - (RHD)	
FIAT 180 hp, automatic transmission, 3,5 T (vs. 140 hp automatic transmission 3,5 T)		O / Mandatory (RHD)		O / Mandatory (RHD)	
FIAT 180 hp, automatic transmission, 4,4 T - HEAVY DUTY (vs. 140 hp automatic transmission 3,5 T)		O		O	
LIGHT chassis: possibility of 3.65T GVW		•		•	
16" light alloy rims (+4.5 cm vehicle height)	19	•		•	
AdBlue® tank (litres)		19		19	
60-litre diesel tank		•		•	
90-litre diesel tank		• (HEAVY)		• (HEAVY)	
ABS	2	•		•	
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P SELECT		P SELECT	
Traction+ with Hill Descent Control (helps control speed downhill)		P SELECT		P SELECT	
3PMSF all season tyres		•		•	
Cruise control with speed limiter	O	•		•	
Driver and passenger air bags		•		•	
TPMS (automatic tyre pressure monitoring system)		O		O	
2nd remote key (PLIP)		P SELECT		P SELECT	
LED day running lights	O	•		•	
100% LED front lights (includes front fog lights)		O		O	
Front fog lights		O / • (P RHD)		O / • (P RHD)	
Electric de-frosting wing mirrors		•		•	
Coach-style wing mirrors	O / • (P RHD)	•		•	
Dual-view wing mirrors (fixed wide angle lens)		• (HEAVY)		• (HEAVY)	
Reinforced front axle suspension		O		O	
ACS front suspension (not compatible with Air Premium x4 suspension)		•		•	
Independent rear wheel suspension (AL-KO)	5	O / • (P RHD)		O / • (P RHD)	
Stabilising jacks (at the back or in the wheelbase)		• (HEAVY)		• (HEAVY)	
Stabilising jacks HEAVY model specifics		O 53		O 53	
Tow bar [A]: 2 000 kg max. subject to GCW (option of ± 5 kg)		•		•	
Puncture repair kit	1	•		•	
Driver's door with power window		P SELECT		P SELECT	
Driver's door with 2-point locking		•		•	
Height-adjustable swivel cab seats with 2 adjustable armrests		•		•	
Cab seats with built-in seatbelts	2+2	•		•	
Cab seats in fabric matching the living area		•		•	
3-point retractable safety belts (cab and living space)		2+2		2+2	
Embroidered cab headrest covers (embossed for leather upholstery)		•		•	
Cup holder	P LOUNGE	•		•	
100% digital dashboard		P LOUNGE		P LOUNGE	
Manual cab air conditioning		•		•	
Automatic cab air-conditioning		P LOUNGE		P LOUNGE	
Induction smartphone charger	1	P LOUNGE		P LOUNGE	
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•		•	
Central locking on cab bed		•		•	
Comfort steering wheel and gear knob		•		•	
Radio controls on steering wheel	5	•		•	
Aluminium grey finish on air vent		•		•	
Electric power steering		•		•	
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		P SELECT		P SELECT	
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O		O	
Reversing camera with control screen built into the dashboard		P SELECT		P SELECT	
Dual-pleat thermal sliding windscreen blind: up/down (sunshade) and down/up (privacy screen)		P SELECT		P SELECT	
Winter exterior insulation		O		O	
Double-glazed side windows in cab (except driver's door)	10	O		O	
Without cab bed, with telescopic living room table leg for berth configuration		O		O	

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
All data (weight / measures) are indicated with a tolerance of 5%.
Chassis FIAT; definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE DISTINCTION

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Upper beds



Upper beds
ALDE Standard



i96M TRUMA



ALDE Standard

i96M ALDE

i66M TRUMA

i66M ALDE

VEHICLE DIMENSIONS (M)				
Overall length	7,54	7,54	7,54	7,54
Overall width	2,35	2,35	2,35	2,35
Overall width with wing mirrors open	2,76	2,76	2,76	2,76
Overall height	2,95	2,95	2,95	2,95
SEATS				
Seats with seatbelts	2+2	2+2	2+2	2+2
Registered (driving) seats	3*	4	3*	4
People dining space	5	5	5	5
Berths	2+2	2+2	2+2	2+2
Berths (with no cab bed option)	2	2	2	2
WEIGHT				
Gross vehicle weight (GVW)	LIGHT: TRUMA 3,5 T / 3,88 T HEAVY: 4,5 T	HEAVY: 4,5 T	LIGHT: TRUMA 3,5 T / 3,88 T HEAVY: 4,5 T	HEAVY: 4,5 T
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T HEAVY: 5,88 T	HEAVY: 5,88 T	LIGHT: 5,5 T HEAVY: 5,88 T	HEAVY: 5,88 T
Mass in Running Order (MIRO) (kg)	3245	3360	3230	3350
Payload (kg)	255	1140	270	1150
CHASSIS				
Chassis	MERCEDES AL-KO	MERCEDES AL-KO	MERCEDES AL-KO	MERCEDES AL-KO
AL-KO-type chassis	AMC	AMC	AMC	AMC
Standard engine	2,0 L - 150 hp	2,0 L - 150 hp	2,0 L - 150 hp	2,0 L - 150 hp
Anti-pollution standard	Euro VI E	Euro VI E	Euro VI E	Euro VI E
Wheelbase (m)	4,205	4,205	4,205	4,205
Extra-wide rear track (m)	1,98	1,98	1,98	1,98
STORAGE DOUBLE FLOOR (CM)				
Internal dimensions of main storage	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210
Access right side (H x W)	2 x (23 x 47)	2 x (23 x 47)	2 x (23 x 47)	2 x (23 x 47)
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes	Yes	Yes
STORAGE AREA/GARAGE (CM)				
Width	114	114	114	114
Length	217	217	217	217
Height	119	119	89/119	89/119
Access right side (H x W)	112 x 89	112 x 89	117 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89	112 x 89	112 x 89
Heated	Yes	Yes	Yes	Yes
HEATING				
Type of heating	Truma Combi 6 CP PLUS	ALDE 3030+	Truma Combi 6 CP PLUS	ALDE 3030+
BED SIZE (MM)				
Rear bed	2 x (850 x 2000)	2 x (850 x 2000)	1600 x 1960	1600 x 1960
King size bed extension	1400 x 2060	1400 x 2060	-	-
Electric drop-down cab bed	1500 x 1910	1500 x 1910	1500 x 1910	1500 x 1910
AUTONOMY (LITRES)				
Fresh water [A]	20/130	20/130	20/130	20/130
Waste water	110	110	110	110
Type of refrigerator	Absorption	Absorption	Absorption	Absorption
Refrigerator volume	171	171	171	171
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane

* GVW 3500 kg = 3 registered seats without towing capability / 2 registered seats with towing capability ; GVW 3880/4500 kg = 4 registered seats

[A] The tank can be filled to a capacity of 130 L. This increased capacity reduces the payload.

[B] The tank can be filled to a capacity of 250 L. This increased capacity reduces the payload.

• = Standard, O = Option, - = Not available

A-CLASS MODELS WITH MERCEDES AL-KO CHASSIS, EXTRA-WIDE REAR TRACK & STORAGE DOUBLE FLOOR



Upper beds
ALDE Standard

i166M



ALDE Standard

i196M

VEHICLE DIMENSIONS (M)		
Overall length	8,15	8,15
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height	2,99	2,99
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	2+2	2+2
People dining space	6	6
Berths	2+2	2+2
Berths (with no cab bed option)	2	2
WEIGHT		
Gross vehicle weight (GVW)	HEAVY: 4,5 T	HEAVY: 4,5 T
Permissible Gross Combined Weight (GCW)	HEAVY: 5,88 T	HEAVY: 5,88 T
Mass in Running Order (MIRO) (kg)	3740	3700
Payload (kg)	760	800
CHASSIS		
Chassis	MERCEDES AL-KO	MERCEDES AL-KO
AL-KO-type chassis	VSC	VSC
Standard engine	2,0 L - 170 hp	2,0 L - 170 hp
Anti-pollution standard	Euro VI E	Euro VI E
Wheelbase (m)	4,705	4,705
Extra-wide rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(26,5 - 29) x 83 x 210	(26,5 - 29) x 83 x 210
Access right side (H x W)	23 x 72 + 40 x 57	23 x 72 + 40 x 57
Access left side (H x W)	ENERGYBOX + WATERBOX + 23 x 72	ENERGYBOX + WATERBOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM)		
Width	114	114
Length	217	217
Height	121	89/119
Access right side (H x W)	117 x 89	117 x 89
Access left side (H x W)	117 x 89	117 x 89
Heated	Yes	Yes
Storage area with protective lining and stowage hooks	•	•
HEATING		
Type of heating	ALDE 3030+	ALDE 3030+
BED SIZE (MM)		
Rear bed	2 x (850 x 2050)	1600 x 2050
Electric king size bed extension	1450 x 2060	-
Electric drop-down cab bed	1500 x 1910	1500 x 1910
AUTONOMY (LITRES)		
Fresh water [B]	20/250	20/250
Waste water	150	150
Type of refrigerator	Absorption	Absorption
Refrigerator volume	171	171
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis MERCEDES: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



S E R I E D I S T I N C T I O N

E Q U I P M E N T A N D C O M F O R T

A - C L A S S

		<i>i66M TRUMA</i>	<i>i66M ALDE</i>	<i>i96M TRUMA</i>	<i>i96M ALDE</i>	<i>i166M</i>	<i>i196M</i>
CONSTRUCTION	WEIGHT (KG)						
NOVATECH Construction		•	•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•	•
Polyester roof covering all edges		•	•	•	•	•	•
Polyester underfloor external protection		•	•	•	•	•	•
Bodywork (roof, panels and floor) 100% polyurethane		•	•	•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•	•	•
Storage area in robust polyurethane		•	•	•	•	-	-
BODYWORK AND OPENINGS							
White skirts, bumpers and bodywork		•	•	•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•	•	•	•	•
XL living area door: 600 mm						-	-
XXL living area door: 625 mm		-	-	-	-		
MERCEDES embroidery on living area doormat		•	•	•	•	•	•
Living area flyscreen door		•	•	•	•	•	•
Remote control locking of the cab and living area doors		•	•	•	•	•	•
Insulated fixed 'XL' single step		•	•	•	•	-	-
Insulated fixed 'XXL' single step		-	-	-	-	•	•
Electric entry step		•	•	•	•	•	•
Storage area hatch struts		•	•	•	•	•	•
Storage area compression handles flush with hatch, with 2-point locking		•	•	•	•	•	•
Living area windows with polyurethane frames		•	•	•	•	•	•
Double glazed living area windows with non-woven blinds and flyscreen		•	•	•	•	•	•
Large lengthwise living room skylight						-	-
XXL lengthwise living room skylight		-	-	-	-		
Living room skylight with fabric finish		•	•	•	•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•	•	•
Cab bed skylight		•	•	•	•	•	•
External right side lighting		LED	LED	LED	LED	LED	LED
Aluminium side skirt line			-	-	-	•	•
Designer rear pillars with LED lights		•	•	•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•	•	•
HEATING							
TRUMA Combi 6 heating with CP PLUS control panel		-	-	-	-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel		O / • (P RHD)	-	O / • (P RHD)	-	-	-
ALDE 3030+ Comfort Plus Arctic central heating with FROST Control + bedroom temperature control Heated waste water tank		-	•	-	•	•	•
Heating distributed via the living room table leg (except telescopic leg) (only with ALDE)		-	•	-	•	•	•
Additional MERCEDES heating		-	•	-	•	•	•
ALDE living area hot water floor heating (only available with ALDE heating)	8	-	O	-	O	O	O
TRUMA windscreen heating duct		• (TRUMA)	-	• (TRUMA)	-	-	-
Heated waste water tank		•	•	•	•	•	•
External heating inspection hatch (drain access, maintenance)		•	•	•	•	•	•
STORAGE							
Transverse storage double floor with internal and external access		•	•	•	•	•	•
Heated, lit double floor		•	•	•	•	•	•
Access to storage area/garage from left and right side		•	•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•	•
Height-adjustable storage area/garage		-	-			-	
Storage area ceiling LED lighting rail		•	•	•	•	•	•
Heated shoe storage hatch above living area step		•	•	•	•	•	•
STYLE							
NACARAT (with solid maple wood) furniture		•	•	•	•	•	•
Glossy white overhead cupboard doors		•	•	•	•	•	•
Living room furniture with LED back-lit cubby (storage compartments)		•	•	•	•	•	•
Soft touch ceiling fabric		•	•	•	•	•	•
Fabric finish on cab bed bottom and inbuilt spotlights with 'Coming Home' mode		•	•	•	•	•	•
Leather upholstery: AUSTIN	8	O	O	O	O	O	O
Leather upholstery: BRAGA	8	O	O	O	O	O	O
TEP* upholstery: PALMA		•	•	•	•	•	•
BUDAPEST fabric upholstery	5	O	O	O	O	O	O
Eyelet net curtains on rods with indirect lighting		•	•	•	•	•	•
Interior lighting		LED	LED	LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED	LED
Living room and bedroom indirect lighting dimmer		•	•	•	•	•	•
Centralised controls for multi-zone lighting with dimmer		•	•	•	•	•	•
LIVING ROOM							
Magnetic bench seat backs		•	•	•	•	•	•
Laminated table with solid wood moulding		•	•	•	•	•	•
Folding table with laminate finish		•	•	•	•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D		•	•	•	•	•	•
Inbuilt TV unit with backlighting and storage		•	•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•	•	•	•	•
4 assorted cushions in living room style + 1 blanket		•	•	•	•	•	•
Machined decor day/night divider		•	•	•	•	•	•
Vertical storage drawer for jackets and shoes		-	-	-	-	•	•
KITCHEN							
Lighting under the worktop		LED	LED	LED	LED	LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•	•	•	•	•
Spice rack		•	•	•	•	•	•
Kitchen unit drawers with glossy white fronts		•	•	•	•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•	•	•	•

* TEP: Polyamide-coated fabric.

** Operates on 230 V only.

• = Standard, O = Option, - = Not available

A-CLASS MODELS WITH MERCEDES AL-KO CHASSIS, EXTRA-WIDE REAR TRACK
& STORAGE DOUBLE FLOOR

A - C L A S S

		i66M TRUMA	i66M ALDE	i96M TRUMA	i96M ALDE	i166M	i196M
KITCHEN		WEIGHT (KG)					
Sliding wire basket and tea towel rail		-	-	-	-	•	•
Coffee machine space		-	-	-	-	•	•
Cutlery tray		•	•	•	•	•	•
Stainless steel sink		•	•	•	•	•	•
Chromed brass pull-down kitchen tap with ceramic cartridge		•	•	•	•	•	•
Embossed stainless steel stovetop with 2 hobs, independent black covers and piezo ignition		•	•	•	•	O	O
2-hob glass stovetop with piezo ignition and 1 x 1,400 W** induction hob		-	-	-	-	•	•
Extra-deep refrigerator		•	•	•	•	•	•
Refrigerator with freezer		•	•	•	•	•	•
Refrigerator with double hinge door (left or right opening)		•	•	•	•	•	•
Refrigerator grill covers (for winter use)		•	•	•	•	•	•
Inbuilt extractor hood with LED lighting		•	•	•	•	•	•
TEC-Tower: refrigerator/25-litre oven with grill combo	21	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	P EXECUTIVE	P EXECUTIVE
BATHROOM							
Washroom storage unit with two sliding doors with mirror and frosted RAPIDO logo		•	•	•	•	•	•
Central XXL bathroom with double partition		•	•	•	•	•	•
Independent shower		•	•	•	•	•	•
Magnetic shower door latches with matte black edge		•	•	•	•	•	•
Shower column with charcoal grey laminate finish		•	•	•	•	•	•
Blue LED mood lighting on shower column		•	•	•	•	•	•
Clothes drying rack		•	•	•	•	•	•
Thermoformed oval basin with swivel brass mixer tap and ceramic cartridge		•	•	•	•	•	•
Black shower duckboard		•	•	•	•	•	•
Cassette toilet with removable tank, telescopic handle and castors		•	•	•	•	-	-
Ceramic toilet bowl with removable cassette tank, telescopic handle and castors		-	-	-	-	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•	•	•
BEDROOM							
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•	•
Permanent electrically assisted height-adjustable bed (≈ 30 cm)	15	-	-	•	•	-	•
Backlit wall-mounted wardrobes with push lock system		-	-	•	•	-	•
Bed footboard storage drawer		-	-	•	•	-	•
Electrically-adjustable shelf and wardrobe at the foot of the bed		-	-	-	-	•	-
Side storage alcoves with 12 V outlet		-	-	•	•	-	•
Fabric-covered backlit headboard		•	•	•	•	•	•
Adjustable reclining headboard on permanent bed		•	•	•	•	-	-
Electrically-adjustable reclining headboard on permanent bed		-	-	-	-	•	•
Retractable central bed base	5	-	-	•	•	-	•
Adjustable footboard for easier storage access		•	•	-	-	•	-
Lighting inside the wardrobe		LED	LED	LED	LED	LED	LED
Mattress topper with memory foam on permanent bed	6	O	O	O	O	•	•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•	•
Mattress protection kit		O	O	O	O	O	O
POWER & COMFORT							
92Ah AGM living area battery (with coupler, separator and booster)	3	•	•	•	•	•	•
Second living-area battery 92 Ah AGM	27	O / • (P RHD) P ENERGY	O / • (P RHD) P ENERGY	O / • (P RHD) P ENERGY	O / • (P RHD) P ENERGY	•	•
100 Ah LITHIUM living-area battery (with coupler, separator and booster)		•	•	•	•	•	•
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	O	O	O	O	O	O
'Coming-home' mode with automatic awning light and electric entry step		•	•	•	•	•	•
Living area entry step backlighting when door opens		•	•	•	•	•	•
Digital control panel with large screen		•	•	•	•	•	•
Speakers in the living area		•	•	•	•	•	•
Symphony audio pack		O	O	O	O	•	•
IBS (Intelligent Battery System) displays real-time remaining battery autonomy		•	•	•	•	•	•
NOVABOX: easy access to service area		•	•	•	•	-	-
WATERBOX/ENERGY BOX: easy, centralised access to the water pipes and electrical system		-	-	-	-	•	•
Inbuilt vacuum cleaner**		•	•	•	•	•	•
Centralised fuse box with protected 'accessories' outlets		•	•	•	•	•	•
External 230 V socket		•	•	•	•	•	•
Internal 230 V socket		5	5	5	5	6	6
Internal 12 V socket		4	4	4	4	4	4
Internal 5 V USB port		4	4	4	4	4	4
Living area carpet	12	-	-	-	-	O / • (P RHD)	O / • (P RHD)
Living area and cab carpet	11	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	-	-
Cab carpet	2	-	-	-	-	•	•
Lino protector kit	2	O	O	O	O	O	O
Automatic FAVEX inverter with remote switch so you can drive with gas heating (anti-crash system)		•	•	•	•	•	•
Waste water drainage with electric valve control in the storage space/garage		•	•	•	•	•	•
Fresh water drainage with electric valve control in the storage space/garage		-	-	-	-	•	•
Solar panel wiring setup		•	•	•	•	•	•
150 W factory-assembled solar panel		P ENERGY	P ENERGY	P ENERGY	P ENERGY	P ENERGY	P ENERGY
Centralised water distribution (access to all fittings)		•	•	•	•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•	•	•	•
Outside shower with hot/cold water	1	•	•	•	•	•	•

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis MERCEDES: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



S E R I E D I S T I N C T I O N

E Q U I P M E N T A N D C O M F O R T

A - C L A S S

		<i>i66M TRUMA</i>	<i>i66M ALDE</i>	<i>i96M TRUMA</i>	<i>i96M ALDE</i>	<i>i166M</i>	<i>i196M</i>
VEHICLE FITTINGS*	WEIGHT (KG)						
MERCEDES 150 hp manual transmission		•	•	•	•	-	-
MERCEDES 170 hp automatic transmission (vs 150 hp manual)	0	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
LIGHT chassis: GVW 3.5 T, possibility of 3.88 T GVW		-	-	-	-	-	-
HEAVY chassis: GVW 4.5 T (includes 93-litre tank)	40	O	•	O	•	•	•
16" wheels with steel rims and hub caps		•	•	•	•	-	-
17" wheels with steel rims and hub caps		•	•	•	•	-	-
16" light alloy MERCEDES rims (vehicles ≤ 3.88 T)	2	• (4,5T)	-	• (4,5T)	-	-	-
17" light alloy MERCEDES rims (4.5 T vehicles)	-4	P EXECUTIVE (3,5T)	P EXECUTIVE (4,5T)	P EXECUTIVE (4,5T)	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE
Electric parking brake		P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
Battery shut-off		P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
AdBlue® tank (litres)		22	22	22	22	22	22
65-litre diesel tank (vehicles ≤ 3.88 T)		•	-	•	-	-	-
93-litre diesel tank (4.5 T vehicles)		• (HEAVY)	•	• (HEAVY)	•	•	•
ABS (anti-lock brake system), ASR (traction control), EBV (electronic braking variator) and ESP (electronic stability programme)		•	•	•	•	•	•
MERCEDES engine compartment insulation and cladding under engine		•	•	•	•	•	•
Hill start assistance		•	•	•	•	•	•
DISTRONIC active distance assist		P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)
TEMPOMAT cruise control with limiter		•	•	•	•	•	•
Driver and passenger air bags		•	•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		•	•	•	•	•	•
2nd remote key (PLIP)		•	•	•	•	•	•
LED day running lights		•	•	•	•	•	•
100% LED front lights		P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P EXECUTIVE	P EXECUTIVE
100% LED rear lights		•	•	•	•	•	•
LED front fog lights	1	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
Automatic headlights		•	•	•	•	•	•
Electric de-frosting wing mirrors		•	•	•	•	•	•
Coach-style wing mirrors		•	•	•	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•	•	•	•	•
Reinforced front axle suspension		•	•	•	•	•	•
Independent rear wheel suspension (AL-KO)		•	•	•	•	•	•
AL-KO AMC rear suspension		•	•	•	•	-	-
AL-KO VSC rear suspension		-	-	-	-	-	-
Stabilising jacks (at the back or in the wheelbase)	5	O / • (P RHD)	•	O / • (P RHD)	•	•	•
Stabilising jacks HEAVY model specifics	5	- / • (4,5 T)	•	- / • (4,5 T)	•	•	•
AL-KO Comfort Drive suspension (LIGHT chassis)	10	O	-	O	-	-	-
AL-KO Comfort Drive suspension (HEAVY chassis)	10	O (4,5 T)	O	O (4,5 T)	O	O	O
Stability system in the event of cross winds		•	•	•	•	•	•
Tow bar [A] : 2 000 kg max. subject to GCW (option of ± 5 kg)		O 53	O 53	O 53	O 53	O 53	O 53
Puncture repair kit		•	•	•	•	•	•
CAB FITTINGS							
Driver's door with power window		•	•	•	•	•	•
Driver's door with 2-point locking		•	•	•	•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•	•	•
Cab seats with built-in seatbelts		•	•	•	•	•	•
Cab seats matching living area fabric		•	•	•	•	•	•
AGUTI GIS Liner 3 swivel cab seats in fabric matching the living area		-	-	-	-	P EXECUTIVE	P EXECUTIVE
AGUTI GIS Liner 3 swivel cab seats in fabric matching the living area, with heating and ventilation modes		-	-	-	-	O	O
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•	•
Cup holder		•	•	•	•	•	•
Fold-down lids on central and side coin trays		P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
MERCEDES MBUX 10.25" multimedia system with DAB technology		•	•	•	•	•	•
Semi-automatic TEMPMATIC cab air conditioning		•	•	•	•	•	•
Automatic cab air-conditioning THERMOTRONIC (includes front windscreen wipers with rain sensor)	2	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)
Electric foldaway cab bed with slot base and BULTEX® foam mattress		P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
Navigation + road sign recognition system		P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)
Leather steering wheel and gear knob (for automatic gearboxes only leather steering wheel)		P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
Radio controls on steering wheel		•	•	•	•	•	•
Height- and angle-adjustable multi-function steering wheel		•	•	•	•	•	•
Electric power steering		•	•	•	•	•	•
Integration Pack for smartphones (APPLE CARPLAY/ANDROID AUTO)		P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	P EXECUTIVE	•	•
Reversing camera with control screen built into the dashboard		•	•	•	•	•	•
Heated windscreen		•	•	•	•	•	•
Electric dual-pleat thermal sliding windscreen blind: up/down (sunshade) and down/up (privacy screen)		•	•	•	•	•	•
Winter exterior insulation	5	O	O	O	O	O	O
Double-glazed side windows in cab (except driver's door)	10	-	O	-	O	O	O
Without cab bed, with telescopic living room table leg for berth configuration		O	O	O	O	O	O

* RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
[A] Possible reduction in registered seats.
• = Standard, O = Option, - = Not available

PACKS (OPTION)

*RIGHT HAND DRIVE
Special pack*



The 2026 collection of the RAPIDO motorhomes based on RHD chassis comes with complete equipment, including (depending on the model)*:

SAFETY

DRIVE ASSIST PACK (DISTINCTION)

Fog lights

Electric parking brake (Compact A-CLASS, 8F-Series)

KEYLESS PACK (Compact LOW PROFILE, 6F-Series)

Outside rear mirrors with double view (wide angle) (A-CLASS)

COMFORT

SMART PACK

Carpet kit (living area and cab)

Oven

Truma Combi 6EH (except ALDE)

2nd AGM living area battery** (except 65 Years Special Edition [1 Lithium battery])

Heated waste water tank**

Outside shower warm/cold water**

Rear steadies**

RAPIDO VANS PACK

	VANS
Radio controls on steering wheel	•
3PMSF all-season tyres	•
Front bumper painted in bodywork colour	•
Black skid plate	•
Front fog lights	•
Automatic inverter, for driving with gas heating on (anti-crash system)	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO	•
Reversing camera with control screen built into the dashboard	•
Second remote keyless entry control (RKE)	•
Side door with flyscreen	•
Traction+ with Hill Descent Control (helps control speed downhill)	•

SELECT PACK

	SERIE C	SERIE 6F	SERIE C..i	SERIE 8F	SERIE 80dF
Reversing camera with control screen built into the dashboard	•	•	•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO	•	•	•	•	•
Radio controls on steering wheel	•	•	-	-	-
Front bumper painted in bodywork colour	•	•	-	-	-
Black skid plate	•	•	-	-	-
Front fog lights	•	•	-	-	-
Composite leaf spring	-	-	-	•	-
3PMSF all-season tyres	•	•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	•	•	•	•	•
Pleated cab window and windscreen blinds	•	•	-	-	-
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade)	-	-	•	•	-
Dual-pleat thermal sliding windscreen blind: up/down (sunshade) and down/up (privacy screen)	-	-	-	-	•
Driver's door with 2-point locking	-	-	-	•	•
Living area door with 2-point locking and fixed window	•	-	-	-	-
Living area door with 2-point locking, fixed window and inbuilt bin	-	•	•	•	•
Living area door flyscreen	•	•	•	•	•
Automatic inverter, for driving with gas heating on (anti-crash system)	-	•	-	•	•
Second remote keyless entry control (RKE)	•	•	•	•	•
Second 92Ah AGM living area battery	•	-	•	-	-
Heated waste water tank	-	-	-	•	-

* See details per model in the technical guide. All mentioned options are included in the vehicle price for Right Hand Drive models. The weight of these options is detailed in the technical specifications, and not included in the GVW - it therefore must be deducted from the payload.

** Except VANS.

PACKS (OPTION)

EXECUTIVE PACK

	i66M/i96M	i166M/i196M
MERCEDES 9-gear automatic transmission: 9G TRONIC	•	-
2.0-litre 170 hp MERCEDES engine	•	-
Leather steering wheel	•	-
Electric parking brake	•	-
Front fog lights	•	-
Electric foldaway cab bed with slat base and BULTEX® foam mattress	•	-
Fold-down lids on central and side coin trays	•	-
Battery shut-off	•	-
Integration Pack for smartphones (APPLE CARPLAY and ANDROID AUTO)	•	-
16" light alloy MERCEDES rims (3,5 T) / 17" (4,5 T)	•	-
17" light alloy MERCEDES rims	-	•
AGUTI GIS Liner 3 swivel cab seats in fabric matching the living area	-	•
TEC-Tower: combined refrigerator and 25-litre oven with grill	-	•
100% LED front lights	-	•

SMART PACK

	VANS, LOW PROFILE (except anniversary models)	A-CLASS (except anniversary models, 80dF, DISTINCTION)
16" light alloy FIAT rims (+ 4.5 cm vehicle height)	•	•
Comfort steering wheel and gear knob	•	•
Aluminium grey finish on air vent	•	•
Radio controls on steering wheel	-	•

LOUNGE PACK

	VANS, C, 6F, 8F, 80dF
Automatic cab air-conditioning	•
Induction smartphone charger	•
Digital dashboard	•

ENERGY PACK

	VANS, C, 6F, 8F, 80dF, DISTINCTION (includes anniversary models)
150 W factory-assembled solar panel	•
100 Ah lithium battery	•

SAFETY+ PACK

	VANS, C (except C55i, C86i), 6F
Adaptive cruise control > 30 km/h	•
Automatic braking system with pedestrian sensor	•
Automatic headlights and windscreen wipers	•
Lane departure warning system	•
Road sign recognition system	•
Driver drowsiness detection	•
Smart speed assistance	•

DRIVE ASSIST PACK

	DISTINCTION (i66M/i96M)	DISTINCTION (i166/i196M)
DISTRONIC active distance assist	•	•
Automatic cab air-conditioning THERMOTRONIC (includes front windscreen wipers with rain sensor)	•	•
Navigation + road sign recognition system	•	•
100% LED front lights	•	-

LED ASSIST PACK

	VANS, C (except C55i, C86i), 6F
100% LED front lights	•
Automatic headlights and windscreen wipers	•

PACKS (OPTION)

ASSIST PACK*

	VANS
Adaptive cruise control with STOP&GO	•
Lane departure warning system	•
Traffic jam assist	•
Automatic cab air-conditioning	•
Fog lights with directional headlights	•
Induction smartphone charger	•
Digital dashboard	•
Comfort steering wheel (standard feature for V62 van)	•
Aluminium grey finish on air vents (standard feature for V62 van)	•
16" light alloy rims (standard feature for V62 van)	•
Automatic headlights and windscreen wipers	•
Adaptive headlights	•
Electric parking brake	•

KEYLESS PACK

	VANS, C, 6F, 8F (except anniversary models)
Keyless start and lock/unlock	•
Electric parking brake	•

KEYLESS PACK

	ANNIVERSARY MODELS
Keyless start and lock/unlock	•

VISION+ PACK

	VANS
Electric, defrosting folding wing mirrors	•
Reversing sensor, blind spot sensor	•

* ASSIST Pack available only with automatic transmission.

WEIGHT (IMPORTANT INFORMATION)

Weight is a key consideration when choosing your recreational vehicle (motorhome or campervan), along with layout and design. Each motorhome has a maximum weight that must not be exceeded when driving. Here is some information to help you choose the right configuration, according to the weight restrictions, when selecting a new vehicle from our range.

This information is based on the definitions in the EU regulation 2021/535, Annex XIII, Section A, Part 2: Technical Specifications.

1 - MTPLM

The Maximum Technically Permissible Laden Mass (MTPLM or M) or Gross Vehicle Weight (GVW) is stipulated by the manufacturer and corresponds to the maximum authorised mass of the vehicle while being driven (e.g. 3,500 kg or 4,400 kg). It includes the weight of the vehicle, occupants, equipment and payload capacity.

Those values are listed in the vehicle's specifications.

2 - MIRO

The vehicle's Mass in Running Order (MIRO) includes the vehicle's bodywork, furniture, standard fittings as per the manufacturer's specifications, tanks filled to at least 90% of their capacity (fuel and liquid), and the fixed weight of the driver (75 kg). The permitted tolerance is ±5%. It is recommended that you keep that tolerance in mind while configuring your vehicle and choosing optional fittings, in order to comply with the minimum payload requirement (see point 4 below).

3 - NUMBER OF PASSENGERS

The number of seats that may be occupied while driving (excluding the driver) is determined by the manufacturer on delivery according to the selected vehicle configuration and resulting payload capacity.

4 - PAYLOAD

For motorhomes, European legislation requires a minimum payload equal to 10 kg multiplied by the total sum of the maximum number of passengers plus the driver plus the total length of the vehicle in metres.

For example, for a 7 metre-long motorhome with 4 driving seats (including the driver), the minimum payload would be $10 \text{ kg} \times (4+7) = 110 \text{ kg}$.

5 - WEIGHT OF OPTIONS


The weights stipulated by the manufacturer for optional fittings are values determined by the model's configuration and form the maximum weight of fittings that can be ordered as optional extras. These weight limitation values are specified in order to ensure that sufficient payload capacity remains for loading the vehicle (luggage, plates and bowls, etc.).

If the total weight of selected options exceeds the maximum value set by the manufacturer, the number of driving seats will need to be reduced or optional fittings removed by the manufacturer.

Other accessories installed by the dealer or the owner are not considered original optional fittings and do not fall under the manufacturer's liability. Therefore, their weight is accounted for as part of the payload.



Scan this code for information to help you choose the right configuration, according to the weight restrictions, when selecting your new vehicle from our range.



www.rapido.fr

414 RUE DES PERROUNS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. : +33 (0) 2 43 30 10 70

In addition to the contractual 2-year warranty for your vehicle and the manufacturers' warranties on original accessories installed during assembly, you enjoy an 8-year watertightness warranty when you have your vehicle moisture-checked every year on the anniversary of its initial registration date. The warranties covering all accessories installed at the dealership are provided by the original manufacturers under their terms and conditions, through the dealer. The chassis warranty is provided by the chassis manufacturer. Cost of transport is borne by the customer. Motorhomes, campervans and vans are designed for leisure use. Under no circumstances are they intended to be used as a permanent home.

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models shown may vary from one country to another; for an exact definition of the models available, please contact your dealer.

RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in producing this catalogue, it cannot be taken as a contractual document.