

COZI

FAMILI COMPACT

FAMILI



	WEIGHT (IN KG)	CM660	CJ660	SBD700	JC740	MC740 ADVANCE EDITION	SB740 ADVANCE EDITION	PF600	PC640	PJ700	PS740	PM740
VEHICLE DIMENSIONS (M)												
Overall length		6,61	6,61	6,99	7,42	7,42	7,42	5,99	6,36	6,99	7,40	7,40
Overall width		2,19	2,19	2,34	2,34	2,34	2,34	2,32	2,32	2,32	2,32	2,32
Overall width with wing mirrors open		2,53	2,53	2,68	2,68	2,68	2,68	2,76	2,76	2,76	2,76	2,76
Overall height		2,80	2,80	2,94	2,94	2,99	2,99	2,88	2,88	2,88	2,88	2,88
SEATS												
Registered (driving) seats		4	4	6	4	4	5	4	4	4 (○ : 5)	4 (○ : 5)	4
People dining space		4	4	6	5	5	7	4	5	5	7	5
Berths		4	4	6	4 (○ : 4+1)	4 (○ : 4+1)	5 (○ : 5+2)	2 (○ : 2+1+1)	2+2	2+1 (○ : 2+1+2)	5	2 (○ : 2+2)
WEIGHT												
Gross vehicle weight (GVW)		LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T	LIGHT : 3,5 T	LIGHT : 3,5 T	LIGHT : 3,5 T	LIGHT : 3,5 T HEAVY : 4,4 T	LIGHT : 3,5 T HEAVY : 4,4 T
Permissible Gross Combined Weight (GCW) [B]		LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 6 T	LIGHT : 6 T	LIGHT : 6 T	LIGHT : 6 T HEAVY : 6,5 T	LIGHT : 6 T HEAVY : 6,5 T
Mass in Running Order (MIRO) (kg)		2900	2930	2995	3070	3080	3075	2780	2905	2975	3070	3125
Payload (kg)		600	570	505	430	420	425	720	595	525	430	375
CHASSIS												
Chassis		PEUGEOT BOXER (FR) FIAT DUCATO (EXP)	PEUGEOT BOXER (FR) FIAT DUCATO (EXP)	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO	● PEUGEOT BOXER ○ FIAT DUCATO (EXP)	● PEUGEOT BOXER ○ FIAT DUCATO (EXP)	● PEUGEOT BOXER ○ FIAT DUCATO (EXP)	● PEUGEOT BOXER ○ FIAT DUCATO (EXP)	● PEUGEOT BOXER ○ FIAT DUCATO (EXP)
Standard engine		2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch	2,2 L - 140 ch
Anti-pollution standard		EURO 6e	EURO 6e	EURO 6e	EURO 6e	EURO 6e	EURO 6e	EURO 6e	EURO 6e	EURO 6e	EURO 6e	EURO 6e
Wheelbase (m)		3,80	3,80	4,035	4,035	4,035	4,035	3,45	3,80	3,80	4,035	4,035
Extra-wide rear track (m)		–	–	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
STORAGE AREA/GARAGE (CM)												
Width		71/112	110	76	109	110	83	135	71	92	68	94
Length		202	134/202	217/82	217	217	217	105	220	220	220	220
Height (varies by country)		● FR : 88 ○ FR / ● EXP : 88/108 (if height- adjustable bed)	117 (113 for king size option)	De 41 à 129	● FR : 120 ○ FR / ● EXP : 90/120 (if height- adjustable bed)	● FR : 90 ○ FR / ● EXP : 90/120 (if height- adjustable bed)	De 77 à 155	55	118	119	55 / 137	101
Access right side (H x W)		● 100 x 75	● 100 x 75	● 110 x 60	● 110 x 87	● 110 x 87	● 110 x 60	–	● 111 x 50	● 111 x 70	● 111 x 50	● 95 x 70
Access left side (H x W)		● 100 x 50	● 100 x 50	○ 55 x 60	● 87 x 87	● 87 x 87	○ 35 x 87	● 45 x 65	● 79 x 37	● 111 x 70	● 79 x 39	● 95 x 70
Heated		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BED SIZE (MM)												
Rear bed		1400 x 1900	(800 x 2100/1900) + (800 x 2000)	2 x (840/760 x 2170)	● FR : (880 x 2030) + (880 x 1970) ○ FR / ● EXP : (800 x 2000) + (800 x 1940) (if height- adjustable bed)	1600 x 1950	2 x (810 x 2170) ou (810 x 2170) + (1330 x 2170)	1360 x 1960	–	(820 x 1945) + (770 x 1895)	2 x (810 x 2120)	1420 x 1880

Technical specifications

	WEIGHT (IN KG)	CM660	CJ660	SBD700	JC740	MC740 ADVANCE EDITION	SB740 ADVANCE EDITION	PF600	PC640	PJ700	PS740	PM740
King size bed extension		–	○ 1500 x 2020	–	○ / ● if height- adjustable bed: 1600 x 2170	–	–	–	–	● 1945/1895 x 2200	–	–
8 cm headboard bed extension		○ 1400 x 1980	–	–	–	–	–	–	–	–	–	–
Extra dinette bed		–	–	● 1370/1190 x 2170	○ 1000 x 2000	○ 900 x 2000	○ 1300 x 2000	○ 800 x 2020	● 1600/1100 x 2010	● 1350/520 (○ 1200) x 2000	–	–
Extra dinette bed (without drop-down bed) (without cab bed)		–	–	–	–	–	–	–	–	–	1770/1100 x 2000	1040/700 x 2010
Drop-down bed		–	–	–	–	–	–	○ 960/780 x 1960	● 1490/1250 x 1920	○ 1260/1150 x 1920	● 1490/1250 x 1920	○ 1260/1060 x 1920
Overcab drop-down bed		1400 x 1880	1400 x 1880	1400 x 1900	1400 x 1900	1400 x 1900	1400 x 1900	–	–	–	–	–
AUTONOMY (LITRES)												
Fresh water		20/110 ^(d)	20/110 ^(d)	20/120 ^(d)	20/120 ^(d)	20/120 ^(d)	20/120 ^(d)	20/100 ^(d)	20/100 ^(d)	20/100 ^(d)	20/100 ^(d)	20/100 ^(d)
Waste water		90	90	120	120	120	120	100	100	100	100	100
Type of refrigerator		Absorption	Absorption	Absorption	Absorption	Absorption	Absorption	Absorption	Absorption	Absorption	Absorption	Absorption
Refrigerator volume		128	128	145	145	145	145	136	136	136	145	145
Gas bottle capacity		2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	1 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane
CONSTRUCTION												
ITINEO LIFE Construction		●	●	●	●	●	●	–	–	–	–	–
Impact-resistant polyester panels		●	●	●	●	●	●	●	●	●	●	●
Impact-resistant polyester roof		●	●	●	●	●	●	●	●	●	●	●
Polyester underfloor external protection		●	●	●	●	●	●	●	●	●	●	●
Floor bodywork with polyurethane		●	●	●	●	●	●	–	–	–	–	–
Styrofoam® insulation (roof, walls and floor)		●	●	●	●	●	●	–	–	–	–	–
Styrosint insulation (roof, wall and floor)		–	–	–	–	–	–	●	●	●	●	●
BODYWORK AND OPENINGS												
White skirts, bumpers and bodywork		●	●	●	●	●	●	●	●	●	●	●
Front bumper in bodywork colour + black skid plate + fog lights		–	–	–	–	–	–	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE
Black skid plate		–	–	–	–	●	●	–	–	–	–	–
Living area door with 2-point locking and fixed window		P LIFE	P LIFE	–	–	–	–	–	–	–	–	–
Living area door with 2-point locking, fixed window and inbuilt bin		–	–	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE
Living area door 540mm wide		–	–	●	●	●	●	–	–	–	–	–
XL living area door: 600 mm		–	–	–	–	–	–	●	●	●	●	●
Living area flyscreen door		P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE
Remote control locking of the cab and living area doors		●	●	●	●	●	●	●	●	●	●	●
Insulated fixed single step		–	–	●	●	●	●	●	●	●	●	●
Electric entry step		P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE	–	–	–	–	–
Living area windows with polyurethane frames		●	●	●	●	●	●	–	–	–	–	–
Double glazed living area windows with blinds and flyscreen		●	●	●	●	●	●	●	●	●	●	●
Panoramic opening cab roof		–	–	–	–	–	–	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE
Large living room skylight with flyscreen and blinds		●	●	●	●	●	●	–	–	–	–	–
Transparent skylights with blackout blind and flyscreen		●	●	●	●	●	●	●	●	●	●	●
Cab bed skylight		–	–	●	●	●	●	–	–	–	–	–
External right side lighting		LED	LED	LED	LED	LED	LED	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE
Aluminium side skirt line		●	●	–	–	–	–	–	–	–	–	–
Designer rear pillars with LED lights		●	●	●	●	●	●	●	●	●	●	●
Back panel set-up with inserts for bike rack		●	●	●	●	●	●	●	●	●	●	●
HEATING												
Truma Combi 4 hot water/heating		● / – (PRHD P SC)	● / – (PRHD P SC)	● / – (PRHD P SC)	● / – (PRHD P SC)	● / – (PRHD P SC)	● / – (PRHD P SC)	–	–	–	–	–
Truma Combi 6 hot water/heating		○ / – (PRHD P SC)	○ / – (PRHD P SC)	○ / – (PRHD P SC)	○ / – (PRHD P SC)	○ / – (PRHD P SC)	○ / – (PRHD P SC)	–	–	–	–	–
TRUMA Combi 4 heating with CP PLUS control panel		–	–	–	–	–	–	●	–	●	●	●

	WEIGHT (IN KG)	CM660	CJ660	SBD700	JC740	MC740 ADVANCE EDITION	SB740 ADVANCE EDITION	PF600	PC640	PJ700	PS740	PM740
TRUMA Combi 4 DIESEL heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	–	–	–	–	–	–	–	●	–	–	–
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	○/● (PRHD P SC)	○/● (PRHD P SC)	○/● (PRHD P SC)	○/● (PRHD P SC)	○/● (PRHD P SC)	○/● (PRHD P SC)	○	–	○	○	○
TRUMA Combi 6 EH DIESEL (diesel + electricity) heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	–	–	–	–	–	–	○	○	○	○	○
Floor heating in living area (230 V)	7	○/● (P SC)	○/● (P SC)	○/● (P SC)	○/● (P SC)	○/● (P SC)	○/● (P SC)	–	–	–	–	–
Heated waste water tank	15	○/● (P SC)	○/● (P SC)	○/● (P SC)	○/● (P SC)	○/● (P SC)	○/● (P SC)	P LIFE	P LIFE	P LIFE	P LIFE	P LIFE
External heating inspection hatch (drain access, maintenance)		–	–	●	●	●	●	–	–	–	–	–
STORAGE												
Internal underfloor storage boxes (volume in litres)		–	–	–	–	140	140	–	–	–	–	–
XXL wardrobe		–	–	●	–	–	–	–	–	–	–	–
Sliding external storage drawer (volume = 45 litres; max. load = 25kg)	18	–	–	○	○	○	○	–	–	–	–	–
Height-adjustable storage area/garage		○ (FR) / ● (EXP)	–	–	○ (FR) / ● (EXP)	○ (FR) / ● (EXP)	–	–	–	–	–	–
STYLE												
URBAN furniture with wood finish on overhead cupboard doors		●	●	●	●	●	●	●	●	●	●	●
Living room furniture with LED back-lit cubby (storage compartments)		●	●	●	●	●	●	●	●	●	●	●
Fabric/TEP* upholstery: PEPPER		●	●	●	●	●	●	●	●	●	●	●
TEP* upholstery: MACADAMIA		○	○	○	○	–	–	○	○	○	○	○
TEP* upholstery: ADVANCE EDITION		–	–	–	–	●	●	–	–	–	–	–
Bay window net curtain		●	●	●	●	●	●	●	●	●	●	●
Interior lighting		LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
Ambient lighting in the living room/kitchen/ bedroom		LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
LIVING ROOM												
Telescopic table leg/Extra occasional berth		–	–	●	○	○	○	–	●	–	●	●
Living room converts to occasional berth		–	–	–	–	–	–	○	●	–	●	○
5th registered (driving) seat		–	–	–	–	–	–	–	–	○	○	–
Folding table with laminate finish		●	●	●	●	●	●	–	●	–	●	●
TV space with wiring and TV mount		●	●	●	●	●	●	–	–	–	–	–
TV space with 12 V/coaxial		–	–	–	–	–	–	●	●	●	●	●
Day/night partition		●	●	●	●	●	●	●	–	–	–	●
Height-adjustable headrests		–	–	–	–	–	–	●	–	–	–	–
Isifix attachment system		–	–	●	–	–	●	●	–	● not compatible with 5th driving seat	–	–
Face-to-face bench seat armrests		–	–	–	●	●	–	–	–		–	–
Right side bench armrest		–	–	●	–	–	●	–	–	–	–	–
Electrically adjustable, switchable drop-down bed with slat base	45	–	–	–	–	–	–	○ 1 person	● 2 people	○ 2 people	● 2 people	○ 2 people
KITCHEN												
Worktop extension		●	●	●	●	●	●	●	–	●	–	–
Lighting under the worktop		LED	LED	LED	LED	LED	LED	–	–	–	–	–
Backlit kitchen window finish		–	–	–	–	●	●	–	–	–	–	–
Blue LED backlit acrylic strip on kitchen side		●	●	●	●	●	●	–	–	–	–	–
Spice rack		●	●	●	●	●	●	–	–	–	–	–
Engraved magnetic wall mount with velcro attachment strips and spice rack		–	–	–	–	–	–	●	●	●	●	●
Storage under the kitchen unit with drawers		●	●	●	●	●	●	–	–	–	–	–
Cutlery tray		●	●	●	●	●	●	–	–	–	–	–
Stainless steel sink with glossy black glass cover		●	●	●	●	●	●	–	–	–	–	–
Stainless steel sink		–	–	–	–	–	–	●	●	●	●	●

Technical specifications

	WEIGHT (IN KG)	CM660	CJ660	SBD700	JC740	MC740 ADVANCE EDITION	SB740 ADVANCE EDITION	PF600	PC640	PJ700	PS740	PM740
Brass kitchen tap with ceramic cartridge		●	●	●	●	●	●	–	–	–	–	–
Stainless steel stove top with 2 hobs, independent black covers and piezo ignition		●	●	● / – (PRHD)	● / – (PRHD)	● / – (PRHD)	● / – (PRHD)	–	●	–	●	●
Stainless steel stove top with 3 hobs, independent black covers and piezo ignition		–	–	○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	–	○	–	○	○
Stainless steel 2-hob stove with glass cover		–	–	–	–	–	–	●	–	●	–	–
Refrigerator with freezer		●	●	●	●	●	●	●	●	●	●	●
Lighting under the worktop		●	●	●	●	●	●	–	–	–	–	–
18-litre oven (no grill)	13	○ / ● (PRHD)	○ / ● (PRHD)	–	–	–	–	–	–	–	–	–
23-litre oven with grill	22	–	–	–	–	–	–	–	–	–	○	○
36-litre oven with grill	15	–	–	○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	–	–	–	–	–
BATHROOM												
Upper storage unit with mirror		●	●	●	●	●	●	–	–	–	–	–
Backlit storage alcove under ba		–	–	●	●	●	●	–	–	–	–	–
Storage alcoves		●	●	–	–	–	–	–	–	–	–	–
Central XXL bathroom with double partition		–	–	–	●	●	●	–	–	–	●	●
Independent shower		–	–	–	●	●	●	–	●	–	●	●
Shower in the washroom		●	●	●	–	–	–	–	–	–	–	–
Privacy curtain for larger bathroom area		●	●	–	–	–	–	–	–	–	–	–
Shower column with black laminate finish and storage		–	–	●	●	●	●	●	●	●	●	●
Shower column with Plexiglas finish and shower head		●	●	–	–	–	–	–	–	–	–	–
Shower column with blue LED mood lighting		–	–	●	●	●	●	–	–	–	–	–
DUO'SPACE (with swivelling partition)		●	●	–	–	–	–	–	–	–	–	–
Removable wardrobe rail in the shower		–	–	●	●	●	●	●	●	●	●	●
White basin		●	●	●	●	●	●	●	●	●	●	●
Protective surface on shower walls		●	●	●	●	●	●	–	–	–	–	–
Black shower duckboard		P LIFE	P LIFE	–	–	–	–	–	–	–	–	–
Towel rail		●	●	●	●	●	●	–	–	–	–	–
Lighting		LED	LED	LED	LED	LED	LED	–	–	–	–	–
Cassette toilet with removable tank, telescopic handle and castors		● 18 L	● 18 L	–	–	–	–	● 18 L	● 18 L	● 18 L	● 18 L	● 18 L
Ceramic toilet bowl with removable cassette tank, telescopic handle and castors		–	–	● 19 L	● 19 L	● 19 L	● 19 L	–	–	–	–	–
BEDROOM												
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		●	–	–	●	●	●	–	–	–	–	–
Permanent bed with active multilayer slats and highly durable foam mattress		–	●	●	–	–	●	–	–	–	–	–
Permanent electrically assisted height- adjustable bed (≈ 30 cm)	15	–	–	–	○ (FR) / ● (EXP)	○ (FR) / ● (EXP)	–	–	–	–	–	–
Permanent, electrically assisted height- adjustable bed (≈ 20 cm)	15	○ (FR) / ● (EXP)	–	–	–	–	–	–	–	–	–	–
Wall-mounted wardrobes		●	–	–	–	●	–	–	–	–	–	–
Bed footboard storage drawer		●	–	–	–	●	–	–	–	–	–	–
Central bed footboard storage alcoves		–	–	–	–	–	–	–	–	–	●	●
Bed footboard storage		–	●	–	●	–	–	–	–	●	–	–
Bed footboard wardrobe and shelves		–	●	–	●	–	–	–	–	–	–	–
Backlit headboard with TEP* finish		●	●	–	●	●	–	–	–	–	–	–
Adjustable footboard for easier storage access		–	●	–	●	–	–	–	–	●	–	–
Bedroom overhead unit ambient lighting		–	–	–	–	–	–	●	–	●	●	●
TV space with wiring		–	–	–	–	–	–	●	●	●	●	●
TV space with HDMI wiring		●	–	–	–	●	–	–	–	–	–	–
Storage area hatch insulating curtain in rear bedroom	1	–	–	○	–	–	○	–	–	–	–	–
Mattress protection kit		○	○	○	○	○	○	–	–	–	–	–

	WEIGHT (IN KG)	CM660	CJ660	SBD700	JC740	MC740 ADVANCE EDITION	SB740 ADVANCE EDITION	PF600	PC640	PJ700	PS740	PM740
POWER & COMFORT												
100 Ah liquid electrolyte living-area battery (with coupler, separator and booster)		–	–	–	–	–	–	○	○	○	○	○
Living-area battery circuit breaker		–	–	–	–	–	–	●	●	●	●	●
92Ah AGM living area battery (with coupler, separator and booster)	3	●	●	●	●	●	●	–	–	–	–	–
Second living-area battery 92 Ah AGM (requires primary AGM battery)	27	○	○	○	○	○	○	–	–	–	–	–
«Coming home» mode with automatic side door gutter light and interior mood lighting		●	●	●	●	●	●	–	–	–	–	–
Control panel		●	●	●	●	●	●	●	●	●	●	●
Centralised fuse box with protected 'accessories' outlets		●	●	●	●	●	●	●	●	●	●	●
External 230 V socket		●	●	●	●	●	●	●	●	●	●	●
Internal 230 V socket		5	5	5	5	5	5	2	3	3	4	4
Internal 12 V socket		3	2	2	2	2	2	1	1	1	1	2
Internal 5 V USB port		4	4	6	4	4	6	3	1	3	3	3
Living area carpet	9	○	○	○	○	○	○	–	–	–	–	–
Living area and cab carpet	11	–	–	–	–	–	–	○	○	○	○	○
Cab carpet	2	○	○	○	○	○	○	–	–	–	–	–
Lino protector kit	2	○	○	○	○	○	○	○	○	○	○	○
Gas regulator valve for using gas while driving (anti-crash system)		●	●	●	●	●	●	–	–	–	–	–
Control gauge for fresh and waste water tanks		●	●	●	●	●	●	●	●	●	●	●
Solar panel wiring setup		●	●	●	●	–	–	●	●	●	●	●
150 W factory-assembled solar panel		–	–	–	–	●	●	–	–	–	–	–
Expansion tank in fresh water system for constant pressure		●	●	●	●	●	●	–	–	–	–	–
Outside shower set-up		●	●	●	●	●	●	–	–	–	–	–
Outside shower with cold water	1	○	○	○	○	○	○	–	–	–	–	–
VEHICLE FITTINGS												
15" steel rims with hub caps		●	●	●	●	–	–	–	–	–	–	–
16" light alloy rims (+ 4.5 cm vehicle height)	12	PSMART	PSMART	PSMART	PSMART	●	●	PSMART	PSMART	PSMART	PSMART	PSMART
Additional charge for FIAT chassis		–	–	–	–	–	–	○ (EXP)	○ (EXP)	○ (EXP)	○ (EXP)	○ (EXP)
FIAT 140 hp manual transmission, 3.5 T		●	●	●	●	●	●	●	●	●	●	●
FIAT 140 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	○	○	○	○	○	○	○	○	○	○	○
FIAT 180 hp automatic transmission, 3.5 T (vs 140 hp manual transmission 3.5 T)	25	○ / – (RHD)	○ / – (RHD)	–	–	–	–	–	○	○	○	○
FIAT 180 hp automatic transmission, 4.4 T (vs 140 hp manual transmission 3.5 T)	65	– / ○ (RHD)	– / ○ (RHD)	○	○	○	○	–	–	–	○	○
LIGHT chassis: possibility of 3.65T GVW		●	●	●	●	●	●	–	–	–	–	–
Electric parking brake		○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	○ / ● (PRHD)	○ / PKEY LESS	○ / PKEY LESS	○ / PKEY LESS	○ / PKEY LESS	○ / PKEY LESS
AdBlue® tank (litres)		19	19	19	19	19	19	19	19	19	19	19
60-litre diesel tank		–	–	●	●	●	●	–	–	–	●	●
90-litre diesel tank		●	●	–	–	–	–	●	●	●	–	–
ABS braking		●	●	●	●	●	●	●	●	●	●	●
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		●	●	●	●	●	●	●	●	●	●	●
Traction+ with Hill Descent Control (helps control speed downhill)	2	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE
3PMSF all season tyres		PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE
Central glove box		–	–	–	–	–	–	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE
Cruise control with speed limiter		●	●	●	●	●	●	●	●	●	●	●
Driver and passenger air bags		●	●	●	●	●	●	●	●	●	●	●
TPMS (automatic tyre pressure monitoring system)		○	○	○	○	○	○	○	○	○	○	○
2 nd remote key (PLIP)		–	–	●	●	●	●	–	–	–	–	–

Technical specifications

	WEIGHT (IN KG)	CM660	CJ660	SBD700	JC740	MC740 ADVANCE EDITION	SB740 ADVANCE EDITION	PF600	PC640	PJ700	PS740	PM740
LED day running lights		PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	–	–	–	–	–
100% LED front lights		○	○	○	○	○	○	–	–	–	–	–
Front fog lights	1	○	○	○	○	○	○	–	–	–	–	–
LED front fog lights	1	–	–	–	–	–	–	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE
Electric de-frosting wing mirrors		–	–	–	–	–	–	●	●	●	●	●
Coach-style wing mirrors		●	●	●	●	●	●	–	–	–	–	–
Reinforced front axle suspension		–	–	–	–	–	–	●	●	●	●	●
Composite leaf spring		–	–	PLIFE	PLIFE	PLIFE	PLIFE	–	–	–	–	–
Stabilising jacks (at the back or in the wheelbase)	5	○	○	○	○	○	○	–	–	–	–	–
Reinforced rear suspension		–	–	–	–	–	–	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE
Tow bar [A]: 2 000 kg max. subject to GCW (option of ± 5 kg)		○70	○70	○70	○70	○70	○70	–	–	–	–	–
Puncture repair kit		●	●	●	●	●	●	●	●	●	●	●
CAB FITTINGS												
Cab doors with electric windows		–	–	–	–	–	–	●	●	●	●	●
Driver's door with power window		●	●	●	●	●	●	–	–	–	–	–
Height-adjustable swivel cab seats with 2 adjustable armrests		●	●	●	●	●	●	●	●	●	●	●
Cab seats with built-in seatbelts		●	●	●	●	●	●	–	–	–	–	–
Cab seats in fabric matching the living area		●	●	●	●	●	●	●	●	●	●	●
3-point retractable safety belts (cab and living space)		●	●	●	●	●	●	●	●	●	●	●
Embroidered cab headrest covers		●	●	●	●	●	●	●	●	●	●	●
Cup holders		●	●	●	●	●	●	–	–	–	–	–
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		●	●	●	●	●	●	●	●	●	●	●
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Jack-assisted foldaway cab bed with slat base		●	●	●	●	●	●	–	–	–	–	–
Left-side wine rack		–	–	●	●	●	●	–	–	–	–	–
Right-side storage locker		●	●	●	●	●	●	–	–	–	–	–
Comfort steering wheel and gear knob		P SMART	P SMART	P SMART	P SMART	●	●	P SMART	P SMART	P SMART	P SMART	P SMART
Radio controls on steering wheel		P SMART	P SMART	P SMART	P SMART	●	●	●	●	●	●	●
Grey aluminium finish on air vent		P SMART	P SMART	P SMART	P SMART	●	●	P SMART	P SMART	P SMART	P SMART	P SMART
Electric power steering		●	●	●	●	●	●	–	–	–	–	–
DAB PIONEER® multimedia system with 6.2" screen		PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	–	–	–	–	–
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		○	○	○	○	●	●	–	–	–	–	–
ZENEC® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		–	–	–	–	–	–	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ ANDROID AUTO functions	2	○	○	○	○	○	○	–	–	–	–	–
Reversing camera with control screen built into the dashboard		PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE	PLIFE
Wrap-around pleated fabric cab blackout blind		●	●	●	●	–	–	–	–	–	–	–
Cab dividing curtain	1	–	–	–	–	–	–	●	●	●	●	●
Pleated cab window and windscreen blinds		○	○	○	○	●	●	○	○	○	○	○
Thermal sliding windscreen blind: up/down (sunshade)		○	○	○	○	●	●	–	–	–	–	–
Awning (factory-installed)		–	–	–	–	–	–	ACCESSORIES P	ACCESSORIES P	ACCESSORIES P	ACCESSORIES P	ACCESSORIES P
Winter exterior insulation	5	○	○	○	○	○	○	–	–	–	–	–

	WEIGHT (IN KG)	CM660	CJ660	SBD700	JC740	MC740 ADVANCE EDITION	SB740 ADVANCE EDITION	PF600	PC640	PJ700	PS740	PM740
PACKS												
LIFE PACK [COMPACT A-CLASS MODELS]: electric entry step, living area door with 2-point locking, fixed window and flyscreen, LED day running lights, DAB PIONEER® multimedia system with 6.2" screen, reversing camera with control screen built into the dashboard, Traction+ with Hill Descent Control, all-season 3PMSF tyres, black shower duckboard		◌	◌	–	–	–	–	–	–	–	–	–
LIFE PACK [STD A-CLASS MODELS]: electric entry step, living area door with 2-point locking, inbuilt bin and flyscreen, LED day running lights, DAB PIONEER® multimedia system with 6.2" screen, reversing camera with control screen built into the dashboard, Traction+ with Hill Descent Control, composite leaf spring, all-season 3PMSF tyres		–	–	◌	◌	◌	◌	–	–	–	–	–
LIFE PACK [LOW-PROFILE MODELS]: panoramic opening cab roof, front bumper in bodywork colour, black skid plate, LED front fog lights, heated wastewater tank, reversing camera with control screen built into the dashboard, right-side exterior lighting, living area door with flyscreen, 2-point locking and inbuilt bin, all-season 3PMSF tyres, Traction+ with Hill Descent Control, central glovebox, ZENEC multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO, reinforced rear suspension		–	–	–	–	–	–	◌	◌	◌	◌	◌
SAT PACK: 160 W solar panel (not installed), TWIN automatic satellite antenna: 72 diameter (not installed)		◌ (FR)	◌ (FR)	◌ (FR)	◌ (FR)	◌ (FR)	◌ (FR)	–	–	–	–	–
SMART PACK: 16" two-tone light alloy wheels, comfort steering wheel, grey trim on air vents, steering wheel controls		◌ / ● (PRHD)	◌ / ● (PRHD)	◌ / ● (PRHD)	◌ / ● (PRHD)	●	●	–	–	–	–	–
SMART PACK: 16" two-tone light alloy wheels, comfort steering wheel, grey trim on air vents		–	–	–	–	–	–	◌	◌	◌	◌	◌
LOUNGE PACK: Automatic cabin air conditioning, inductive smartphone charger, digital dashboard		◌	◌	◌	◌	◌	◌	◌	◌	◌	◌	◌
SAFETY PLUS PACK		–	–	–	–	–	–	◌	◌	◌	◌	◌
ITINEO PEUGEOT/FIAT LOW-PROFILE ACCESSORIES PACK: 1 x 150 W solar panel + Awning		–	–	–	–	–	–	◌	◌	◌	◌	◌

Key

P: Pack / **FR:** France / **EXP:** Export
DEU: Germany, Netherlands, Slovakia, Czech Republic, Austria, Belgium, Switzerland
RHD: United Kindgom, Ireland, New Zealand
SC: Sweden, Norway, Finland, Denmark

(d): The tank can be filled to a capacity of 95 or 110 litres.
This increased capacity reduces the payload.
TEP* : Polyamide-coated fabric

[A] : Possible reduction in registered seats.
[B] : The technically permissible maximum towable mass of the motor vehicle is a piece of information associated with the approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation: $MPM = (D \times T \times 1000) / [(T \times 9,81) - (1000 \times D)]$, with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.

IMPORTANT INFORMATION

Weight is a key consideration when choosing your recreational vehicle (motorhome or campervan), along with layout and design. Each motorhome has a maximum weight that must not be exceeded when driving. Below is some information to help you choose the right configuration, according to the weight restrictions, when selecting a new vehicle from our range.

This information is based on the definitions in the EU regulation 2021/535, Annex XIII, Section A, Part 2: Technical Specifications.

1. MTPLM

The Maximum Technically Permissible Laden Mass (MTPLM or M) or Gross Vehicle Weight (GVW)

is stipulated by the manufacturer and corresponds to the maximum authorised mass of the vehicle while being driven (e.g. 3,500 kg or 4,400 kg). It includes the weight of the vehicle, occupants, equipment and payload capacity. Those values are listed in the vehicle's specifications.

2. MRO

The vehicle's Mass in Running Order (MRO) includes the vehicle's bodywork, furniture, standard fittings as per the manufacturer's specifications, tanks filled to at least 90% of their capacity (fuel and liquid), and the fixed weight of the driver (75 kg). The permitted tolerance is $\pm 5\%$. It is recommended that you keep that tolerance in mind while configuring your vehicle and choosing optional fittings, in order to comply with the minimum payload requirement (see point 4 below).

3. NUMBER OF PASSENGERS

The number of seats that may be occupied while driving (excluding the driver) is determined by the manufacturer on delivery according to the selected vehicle configuration and resulting payload capacity.

4. PAYLOAD

For motorhomes, European legislation requires a minimum payload equal to 10 kg multiplied by the total sum of the maximum number of passengers plus the driver plus the total length of the vehicle in metres. For example, for a 7 metre-long motorhome with 4 driving seats (including the driver), the minimum payload would be $10 \text{ kg} \times (4+7) = 110 \text{ kg}$.

5. WEIGHT OF OPTIONS

The weights stipulated by the manufacturer for optional fittings are values determined by the model's configuration and form the maximum weight of fittings that can be ordered as optional extras. These weight limitation values are specified in order to ensure that sufficient payload capacity remains for loading the vehicle (luggage, plates and bowls, etc.). If the total weight of selected options exceeds the maximum value set by the manufacturer, the number of driving seats will need to be reduced or optional fittings removed by the manufacturer.

Other accessories installed by the dealer or the owner are not considered original optional fittings and do not fall under the manufacturer's liability. Therefore, their weight is accounted for as part of the payload.



ITINEO - RAPIDO GROUP

414, rue des Perrouins - cs 20019
53101 Mayenne Cedex - France
Tel. : +33 (0)2 43 30 10 70
Fax : +33 (0)2 43 30 10 71
www.itineo.co.uk

FOLLOW US ON

